

Town of Archer Lodge AGENDA

Regular Council Meeting Monday, January 4, 2021 @ 6:30 PM Jeffrey D. Barnes Council Chambers

NCGS § 143-318.17. Disruptions of official meetings.

A person who willfully interrupts, disturbs, or disrupts an official meeting and who, upon being directed to leave the meeting by the presiding officer, willfully refuses to leave the meeting is guilty of a Class 2 misdemeanor.

Page

1. WELCOME/CALL TO ORDER:

- 1.a. Invocation
- 1.b. Pledge of Allegiance

2. APPROVAL OF AGENDA:

3. OPEN FORUM/PUBLIC COMMENTS:

(Maximum of 30 minutes allowed, 3 minutes per person)

4. CONSENT AGENDA:

4 - 38 4.a. Approval of Minutes:

16 Nov 2020 Town Council and Planning Board Joint Work Session Minutes

07 Dec 2020 Regular Council Meeting Minutes

<u>Town Council and Planning Board Joint Work Session - 16 Nov 2020 -</u> DRAFT

Regular Council - 07 Dec 2020 - DRAFT

39 - 40 4.b. Resolution# AL2021-01-04 Adopting the Updated Cape Fear Regional Hazard Mitigation Plan

AL2021-01-04 Resolution Adopting the Updated Cape Fear Regional Hazard Mitigation Plan

5. DISCUSSION AND POSSIBLE ACTION ITEMS:

41 - 58
5.a. Discussion and Consideration of Setting a Public Hearing at the February 1, 2021 Regular Town Council Meeting for the Text Amendments to the Code of Ordinances, Archer Lodge, NC, Chapter 30, Zoning and Subdivisions, Article II. Zoning, Division 3. Overlaying Zoning Districts, Section 30-131. - Water Supply Watershed Protection District (WSW)

<u>Staff Recommendation</u>: Replace section in its entirety to clarify ordinance provisions and comply with State Laws

<u>Note</u>: Section 30-131 will be renamed "Water Supply Watershed Protection Overlay District (WSWOD)".

<u>Staff Report Agenda Item 5.a - WSW</u>
<u>Draft Water Supply Watershed Protection Provisions (2)</u>

59 - 87

5.b. Discussion and Consideration of Setting a Public Hearing at the February 1, 2021 Regular Town Council Meeting for the Text Amendments to the Code of Ordinances, Archer Lodge, NC, Chapter 14. Flood Damage Prevention

<u>Staff Recommendation</u>: Replace section in its entirety to clarify ordinance provisions and comply with State Laws

<u>Staff Report Agenda Item 5.b - Flood Damage Prevention Ordinance Chapter 14 Flood Damage Prevention Ordinance with Required Revisions</u>

5.c. Discussion and Consideration of Appointing a Town of Archer Lodge
Representative for the Johnston County Economic Development
Advisory Board

 <u>Jo Co Economic Development Advisory Board Representation for the Town of Archer Lodge</u>

90 - 95 5.d. Discussion and Consideration of Appointing Budget Officer

<u>Chapter 159, Subchapter III, Article 3, Part 1, Sec 159-7 - Sec 159-11(a)</u>

<u>Town Administrator_Archer Lodge_05.01.2018</u>

96 - 97
5.e. Discussion and Consideration of Amending Article VI, Section 2, Employee Group Health of the Town of Archer Lodge Personnel Policy Excerpt of Resolution# AL2018-05-07b - Town of Archer Lodge Personnel Policy
NCGS 135-48.47 Participation in State Health Plan by Local Government Employees and Dependents

6. TOWN ATTORNEY'S REPORT:

7. TOWN ADMINISTRATOR'S REPORT:

7.a. Archer Lodge Park Update

8. PLANNING/ZONING REPORT:

- 8.a. Planning | Zoning | Projects | Updates
- 8.b. Code Enforcement
- 8.c. CAMPO Update

9. MAYOR'S REPORT:

10. COUNCIL MEMBERS' REMARKS:

(Town Related, Non-Agenda Items)

11. ADJOURNMENT:





Town Council and Planning Board Joint Work Session - Minutes

Monday, November 16, 2020 Archer Lodge Community Center

COUNCIL PRESENT:

Mayor Mulhollem
Mayor Pro Tem Castleberry
Council Member Jackson
Council Member Purvis
Council Member Wilson

PLANNING BOARD PRESENT

Chairman Oglesby Vice Chair Romano Member Barnes Member Locklear Member Thompson

STAFF PRESENT:

Mike Gordon, Town Administrator Marcus Burrell, Town Attorney Kim P. Batten, Finance Officer/Town Clerk Julie Maybee, Town Planner Al Benshoff, Special Attorney Joyce Lawhorn, Deputy Clerk

COUNCIL ABSENT:

Council Member Bruton

GUEST PRESENT:

Chris Johnson, Director Johnston County Economic Development


1 WELCOME/CALL TO ORDER:

a) Mayor Mulhollem called the 2nd joint meeting of the Archer Lodge Town Council and Archer Lodge Planning Board to order at 6:31 p.m. in the Archer Lodge Community Center located at 14009 Buffalo Road, Archer Lodge, NC and declared a quorum was present. He expressed his appreciation to both boards for serving the citizens of Archer Lodge.

2 PRESENTATION:

a) Johnston County Economic Update and Partnership Opportunities ~
 Chris Johnson, Director of Economic Development
 (https://www.growwithjoco.com/)


Having no pledge of allegiance nor invocation, Mayor Mulhollem introduced Mr. Chris Johnson, Director of the Johnston County Economic Development, . Mr. Johnson gave a brief overview of his family and background and presented the following presentation "Johnston County, NC ~ Your Best Route to Success" which appears as follows:




NOVEMBER 16, 2020












NOVEMBER 16, 2020
















NOVEMBER 16, 2020






- 13

Page 8 of 97 Page 5 of 29













A North Carolina Certified Site reduces the risks associated with development. Certification provides client with detailed information about a site and its features:

- ♦ Data Gathering and Decision Support
 - Subsurface Exploration & Geotechnical Evaluation
 - Phase I Environmental Site Assessment
 - Site Development Conceptual Plan
 - Wetlands Delineation
 - Traffic Studies
- Permitting and Construction
- ♦ Infrastructure Enhancements
- Agreement to sell



Points of Interest:

- Archer Lodge, NC is the fourth largest town in Johnston County.
- Johnston County Population Count:

1990 - 80,000

2020 - 212,000

Next 10 years - estimated to grow to 300,000

- JoCo Economic Development encourages and promotes development opportunities within Johnston County for future generation.
- Archer Lodge is in a good area for businesses and growth.
- The Johnston County Workforce Development Center has a great partnership with the Johnston Community College to educate for local job opportunities that are available and especially for employment with pharmaceutical companies.
- Approximately 10,000 employees commute from other counties in NC to work in the "BioPharma Crescent", which is NC's active site for manufacturing, and is creating traffic problems in the Johnston County area.
- Along Interstate 95 (I-95) NC lost over 5,000 jobs in the mid 1990's due to the closing of several manufacturing plants in the area, which created a huge void of jobs in the county.

Discussion Topics:

- Mr. Gordon emphasized that currently the Town now has a tax base of residential rooftops, but for survivability, the Town will need commercial tax base.
- Mr. Johnson recommended that the Town look at small businesses such as offices, institutional type businesses, fast food, restaurants, etc.
- Mr. Johnson shared that the Johnston County Economic Development offers services for Johnston County Site Certification to help add value to a community.
- Mr. Johnson explained that site certifications are locked for two years at a set price with automatic rollover.

NOVEMBER 16, 2020



- Council Member Wilson shared that the Town needs sewer for commercial growth in the future.
- Mr. Johnston shared that COVID-19 restrictions have forced more people to work from home causing a paradigm shift which resulted in reduced traffic and increased efficiency with technology.
- Mr. Johnson noted for a site to become fully certified, the costs can range from \$25,000 - \$35,000, but for small Towns, the price can vary based on budgets and needs. He further shared that a Site Certification reduces the risk associated with development and provides detailed information about a site. Sites are reviewed after a two-year period and recertified.

Mr. Johnson shared his contact information for those wishing to discuss further information. In addition, he would be glad to offer his assistance if the Town wishes to plan for future commercial growth because he felt the town has a "*Golden Opportunity*" for such growth.

Mr. Gordon shared that having knowledgeable staff and proper ordinance standards in place aids the Town for future growth. Mr. Johnson advised the Town to stay focused and up to date with happenings in outlying areas of the Town.

Everyone thanked Mr. Johnson for coming and sharing his information.

<u>Prior to beginning with Agenda Item 3.a., it was noted that once</u> <u>population increases, then water supply watershed protection and</u> <u>wastewater provisions change at the State level.</u>

3 NEW BUSINESS:

a) Water Supply Watershed Protection Overlay District (State Mandated)~ Al Benshoff & Julie Maybee

Code of Ordinances, Town of Archer Lodge, NC, Chapter 30, Article II, Division 3, Section 30-131

The following items were attached to the agenda and are provided for reference only:



Ms. Maybee's Staff Report appears as follows:

Staff Report Page | 1



TOWN OF ARCHER LODGE 14094 Buffalo Road Archer Lodge, NC 27527 Matn: 919-359-9727 Fax: 919-359-3333

Council Members: Ciyde B. Castleberry Mayor Pro Tem Teresa M. Bruton J. Mark Jackson

Town Council To:

Julie Maybee, Town Planner Date: November 16, 2020

Town Administrator, Finance Officer/Town Clerk, Deputy Clerk, Town Attorney,

Brough Law Firm, CodeWright Planners

Agenda Item 3.a. - Mandatory Zoning Ordinance Amendment to Protect Drinking

Summary: The Town is required to adopt ordinances limiting development in drinking water watersheds to protect the drinking water supply of downstream communities. These ordinances must be approved by the State. An updated version of the Town's water supply watershed overlay district is attached. The basis of this regulation is that streams and rivers will naturally clean themselves of certain pollutants after about ten miles of flow. Thus, local governments are required to control certain types of polluting land uses and discharges within defined watershed upstream form drinking water intakes. The regulations become stricter withing one mile of drinking water intakes. The attached amendments have been tentatively approved by N.C. Dept. of Environmental Quality staff. After review by the Planning Board and Town Council, I suggest that this amendment go to a public hearing and be considered for immediate adoption.

History: The 1980s exploding growth in North Carolina caused conflicts between local governments about developments in drinking water watersheds. At the same time, the U.S. EPA, NC DENR and others were beginning to regulate dispersed runoff caused by cities and towns, typically from streets. As in the case of other environmental concerns,

Staff Report Page | 2

eventually Congress and the General Assembly adopted statutes regulating development and discharges to water bodies to protect public health. Both the State of North Carolina 1 and the U.S. Government2 require that municipalities adopt ordinances to protect downstream drinking water sources. Since the early 1990's the State has administered the requirements for the U.S. EPA. The N.C. Environmental Management Commission (EMC) has adopted very specific requirements found in the N.C. Administrative Code. The Town's water supply watershed ordinance must be approved by the EMC.

Explanation of the Attached Amendments: The state defines the watersheds. Within some of the Neuse River watershed in Archer Lodge, the Town is required to prohibit certain polluting land uses (for example, asphalt plants and chemical works). The Town is also required to limit the amount of land that can be covered by buildings and concrete. This is called "built upon area". The idea is that reducing built upon area will reduce the flow of pollutants into the River because natural areas capture more sediment, nitrogen, motor oil leaked by vehicles and so on. The State requires that the Town offer cluster residential development. Property owners are permitted to use swap built upon areas between parcels. Planted buffers next to stream and ponds are required. In some cases, development can be built at a higher built upon area, if stormwater is first captured and treated in State approved "engineered control structures" such as ponds.

The amendments were prepared by Al Benshoff. He will attend the Nov. 16 meeting to explain the amendments and answer questions.

¹ N.C. Gen. Stat. Chapter 143, Art. 21 Water and Air Resources, Section 143-211 *et seq.*



DRAFT Water Supply Watershed Protection Amendments appear as follows:

DRAFT

Code of Ordinances, Town of Archer Lodge, NC,
Chapter 30, Zoning and Subdivisions, Article II. Zoning,
Division 3. Overlaying Zoning Districts,
Section 30-131. - Water Supply Watershed Protection Overlay District (WSWOD)

- (a) Authority. The General Assembly has, in G.S. sections 143-214.5, 160A-174, 160A-371, 160D-801, 160D-702 and 160A-381, delegated the responsibility and directed the Town to establish water supply watershed protection programs, to regulate land use and development within water supply watersheds and to adopt regulations designed to promote the public health, safety and general welfare of its citizenry.
- (b) Intent. The Water Supply Watershed Protection Overlay District (WSWOD) is to provide, in designated watershed areas, a higher level of control from activities and situations that could degrade the quality of the water entering the Neuse River, as identified in the state watershed protection management plan.
- (c) Applicability. The provisions of this article shall apply within the area designated as a public water supply watershed by the N.C. Environmental Commission and are defined and established on the map entitled "Water Supply Watershed Protection Overlay District of Archer Lodge, North Carolina," on the official zoning map of the Town. Land use and development within this district that requires an Erosion and Sedimentation Control Permit must comply with all the requirements of this article and the underlying zoning district.¹
- (d) Exceptions to applicability. The watershed protection requirements of this section shall not apply to:
 - Development established prior to December 4, 2009, the first date of adoption of this
 ordinance.
 - (2) New or existing single-family detached dwelling unit.
 - (3) Development that does not require an Erosion and Sedimentation Control Permit.
 - (4) Existing development, unless it is expanded or replaced, in which case the rules at sub-section (f) below apply.

In addition, the following exceptions also apply:

(5) Nothing contained herein shall repeal, modify, or amend any Federal or State law or regulation, or any ordinance or regulation pertaining thereto except any ordinance which these regulations specifically replace; nor shall any provision of this Ordinance

.

amend, modify, or restrict any provisions of the Code of Ordinances of the Town; however, the adoption of this Ordinance shall and does amend any and all ordinances, resolutions, and regulations in effect in the Town at the time of the adoption of this Ordinance that may be construed to impair or reduce the effectiveness of this Ordinance or to conflict with any of its provisions.

- (6) It is not intended that these regulations interfere with any easement, covenants or other agreements between parties. However, if the provisions of these regulations impose greater restrictions or higher standards for the use of a building or land, then the provisions of these regulations shall control.
- (7) Non-conforming lots. If a nonconforming lot of record is not contiguous to any other lot owned by the same party, then that lot of record shall not be subject to the development restrictions of this ordinance if it is developed for single-family residential purposes. If a non-conforming lot of record is contiguous to another lot owned by the same party, the lots shall be combined to make a conforming lot one that is more conforming than each lot individually. Any lot or parcel created as part of any other type of subdivision that is exempt from a local subdivision ordinance shall be subject to the land use requirements (including impervious surface requirements) of these rules, except that such a lot or parcel must meet the minimum buffer requirements to the maximum extent practicable.
- (e) Definitions. The following words, terms and phrases, when used in this section, shall have the meanings ascribed to them in this section, except where the context clearly indicates a different meaning. Where these defined terms conflict with or duplicate other definitions in this ordinance, these definitions control only in the use application of this section and are not to be used in using, interpreting or applying other sections of this ordinance.

Best management practices means a structural or nonstructural management-based practice used singularly or in combination to reduce nonpoint source inputs to receiving waters in order to achieve water quality protection goals.

Buffer means an area of natural or planted vegetation through which stormwater runoff flows in a diffused manner so that the runoff does not become channelized and which provides for infiltration of the runoff and filtering of pollutants. The buffer is measured landward from the normal pool elevation of impoundments and from the bank of each side of streams or rivers.

Built-upon area (impervious surface) means impervious surface and partially impervious surface to the extent that the partially impervious surface does not allow water to infiltrate through the surface and into the subsoil. "Built-upon area" does not include a slatted deck; the water area of a swimming pool; a surface of number 57 stone, as designated by the

^{1 15}A NCAC 02B.0624(2) (9/1/2019)

 $^{^2}$ 15A NCAC 02B.0622(1)(3) 3/1/2019. This rule should be applied to all nonconforming lots in the revised subdivision ordinance. AB

³ GS § 143-214.7 (b2)



American Society for Testing and Materials, laid at least four inches thick over a geotextile fabric; a trail (a linear corridor on land or water protected from motor vehicles, providing public access for recreation or transportation ¹) that is either unpaved or paved as long as the pavement is porous with a hydraulic conductivity greater than 0.001 centimeters per second (1.41 inches per hour); or landscaping material, including, but not limited to, gravel, mulch, sand, and vegetation, placed on areas that receive pedestrian or bicycle traffic or on portions of driveways and parking areas that will not be compacted by the weight of a vehicle, such as the area between sections of pavement that support the weight of a vehicle.

Cluster Development. Cluster development means the grouping of buildings in order to conserve land resources and provide for innovation in the design of the project including minimizing stormwater runoff impacts. This term includes nonresidential development as well as single-family residential and multi-family developments. For the purpose of this ordinance, planned unit developments and mixed use development are considered as cluster development.

mission means the N.C. Environmental Management Commission (EMC).

Critical area. The area adjacent to a water supply intake or reservoir where risk associated with pollution is greater than from the remaining portions of the watershed. The critical area is defined as extending either one-half mile from the normal pool elevation of the reservoir in which the intake is located or to the ridge line of the watershed (whichever comes first); or one-half mile upstream from the intake located directly in the stream or river (run-of-the-river), or the ridge line of the watershed (whichever comes first). Major landmarks such as highways are represent these party has the stream or represent the great party of the critical area if highways or property lines may be used to delineate the outer boundary of the critical area if these landmarks are immediately adjacent to the appropriate outer boundary of one-half mile. At the adoption of the ordinance from which this article is derived, there are no known critical At the adoption of the ordinance from wareas in the planning area of the Town.

Curb Outlet System 6 means curb and gutter with breaks or other outlets used to convey stormwater runoff to vegetated conveyances or other vegetated areas."

 $Development^7$ means any land-disturbing activity that increases the amount of built-upon area or that otherwise decreases the infiltration of precipitation into the subsoil.

Dispersed Flow 8 means uniform shallow flow that is conveyed to a vegetated filter strip, another vegetated area, or stormwater control measure (SCM). The purpose of dispersed flow is to remove pollutants through infiltration and settling, as well as to reduce erosion prior to stormwater reaching surface waters.

```
<sup>4</sup> GS §143B-94 (6)
  15A NCAC 02h.1002((7)
6
15A NCAC 02H.1002
```

7 GS § 143-214.7 (a1)(1)

8 15A NCAC 02H.1002 (13)

Erosion and Sedimentation Control Plan 9 means any plan submitted to the Division of Energy, Mineral and Land Resources or a delegated authority in accordance with G.S. section 113A-57.

Existing $Development^{10}$. Those projects that are built or those projects that have established a vested right under N.C. law as of Dec. 4, 2009.

Existing Lot (Lot of Record). A lot which is part of a subdivision, a plat of which has been recorded in the Office of the Johnston County Register of Deeds prior to the adoption of this ordinance (Dec. 4, 2009), or a lot described by metes and bounds, the description of which has been so recorded prior to the adoption of this ordinance.

Infiltration means the movement of storm water runoff into the soil's pore spaces

ittent Stream 12 a well-defined channel that contains water for only part of the year, typically during winter and spring when the aquatic bed is below the perched of seasonal high water table. The flow may be supplemented by stormwater runoff.

Major watershed variance 13 means a variance that is not a "minor watershed variance" as it is defined below

Minor watershed variance means a variance from the minimum standards of this ordinance that results in the relaxation of up to ten per cent of any buffer (vegetated setback), or density requirement applicable to low density development, or the relaxation of up to five per cent of any buffer or density applicable to high density development. For variances to a buffer, or any ourser or censity appucaoue to high density development. For variances to a buffer, the per cent variation shall be calculated using the footprint of the built upon area proposed to encroach within the vegetated setback divided by the total area of the vegetated setback within the project. When the Town's ordinances are more stringent than the State's minimum watershed protection requirements, a variance to the Town's ordinance is a minor watershed variance provided that the result of the variance is not less stringent than the State's Pulse. 17 State's Rules.

⁹ *Id* at (16) ¹⁰ 15A NCAC 02H.1002

¹¹ Id at (20).

^{12 15}A NCAC 02b.0610(24)

^{13 15}A NCAC 02B.0621 (14)

^{14 15}A NCAC 02B.0621 (16)

¹⁵ Nova Cashoca (10)

5 Under GS Chap 160D and 160A Art. 19, boards of adjustment do not have the power to alter densities and lot sizes. "Density" in this case means per cent of impervious coverage?

16 Move last sentence to variance section.

¹⁷ 15A NCAC 02B.0623 (5)



Nonconforming lot of record l8 means a lot described by a plat or deed that was recorded prior to Dec. 4, 2009 that does not meet the minimum lot size or other development requirements

Normal Water Level or Pool Elevation 19 means the water level within a pond, lake or other impoundment natural or man-made (including beaver ponds). At the elevation of the outlet structure or spillway(i.e., the elevation of the permanent pool). The normal water level is typically identified by the lowest edge of terrestrial vegetation.

Perennial Stream ²⁰means a well-defined channel that contains water year round during a year of normal rainfall with the aquatic bed located below the perched or seasonal high water table for most of the year. Groundwater is the primary source of water for a perennial stream. But it also carries stormwater

Protected area means the area adjoining and upstream of the critical area of WS-IV watersheds. The boundaries of the protected area are defined as within five miles of and draining to the intake located directly in the stream or river or to the ridge line of the

Redevelopment. 21 Any land-disturbing activity that does not result in a net increase in built-upon area and that provides greater or equal stormwater control to that of the previous upon area developmen

Residential Development. Buildings for residence such as attached and detached singlefamily dwellings, apartment complexes, condominiums, townhouses, cottages, etc. and their associated outbuildings such as garages, storage buildings, gazebos, etc. and customary home

Single Family Residential. Any development where: 1) no building contains more than one dwelling unit, 2) every dwelling unit is on a separate lot, and 3) where no lot contains more than one dwelling unit

Stormwater Control Measure (SCM) is also known as Best Management Practice (BMP)²² means a permanent structural device that is designed, constructed, and maintained to remove pollutants from stormwater runoff by promoting settling or filtration; or to mimic the natural hydrologic cycle by promoting infiltration, evapo-transpiration, post filtering discharge, reuse of stormwater or a combination thereof.

Street (Road). A right-of-way for vehicular traffic which affords the principal means of

```
<sup>18</sup> 15A NCAC 02b.0621 (17)
```

access to abutting properties.

Structure. Anything constructed or erected, including but not limited to buildings, which requires location on the land or attachment to something having permanent location on the land.

nalified Individual. A person certified to perform stream determinations by completing and passing he Surface Water Identification Training and Certification (SWITC) course offered by the N.C. Div. of Water Resources at N.C. State University.

Ten (10) Year Storm or Ten-year Storm Intensity 23. The maximum rate of rainfall of a a duration equivalent to the time of concentration expected, on the average, once in every ten years. Ten-year storm intensities are estimated by the National Oceanic and Atmospheric Administration Precipitation Frequency Data Server (PFDS), which is incorporated herein by reference, including subsequent amendments and additions. It may be accessed at no cost at http://hdsc.nws.noaa.gov/hdsc/pfds/.

Toxic Substance. Any substance or combination of substances (including disease causing agents), which after discharge and upon exposure, ingestion, inhalation, or assimilation into any organism, either directly from the environment or indirectly by ingestion through food chains, has the potential to cause death, disease, behavioral abnormalities, cancer, genetic mutations, physiological malfunctions (including malfunctions or suppression in ..., p. ..., p. ..., including malfunctions or suppression in reproduction or growth) or physical deformities in such organisms or their off spring or other adverse health effects.

Vegetated Filter Strip²⁴ A vegetated conveyance that (i) is graded with a uniform transverse slope of 8% or less; (ii) the pH, compaction and other attributes of the first 12 inches of soil shall be adjusted as necessary to promote the establishment and growth of plants.; and (iii) the vegetated conveyance is planted with non-clumping, deep-rooted grass sod; and (iv) has soils that are stabilized with temporary means such as straw or matting until the permaner vegetation has taken root of the runoff is directed elsewhere until vegetation is established.

 $\label{eq:Vegetated Conveyance} \textit{^{25}} means a permanent designed waterway lined with vegetation that is used to convey stormwater runoff at a non-erosive e velocity within or away from a developed area.$

 $\label{eq:Vegetated Setback} \textit{^{26}} \; (\textit{Buffer}) \; \text{means an area of natural or established vegetation adjacent to surface waters through which stormwater runoff flows in a diffuse manner to protect surface waters through which stormwater runoff flows in a diffuse manner to protect surface waters are the surface waters and the surface water surface waters are the surface water wate$ waters from degradation due to development activities.

Water Dependent Structure. Any structure for which the use requires access to or proximity

¹⁹ 15A NCAC 02B. 0610 (28)

^{20 15}A NCAC 02B.0610 (30)

²¹ G.S. § 143-214.7 (a1)(2)

²² 15A NCAC 02B.0610 (36) and 15A NCAC 02H. 1002

²³ 15A NCAC o2H.1002 (50)

¹⁵A NCAC 02H.1059 (10)

²⁵ 15A NCAC 02H.1002 (52)

²⁶ 15A NCAC 02H.1002 (51)



to or citing within surface waters to fulfill its basic purpose, such as boat ramps, boat hou docks and bulkheads. Ancillary facilities such as restaurants, outlets for boat supplies, parking lots and commercial boat storage areas are not water dependent structures.

Watershed. The entire land area contributing surface drainage to a specific point (e.g. the water supply intake.)

Watershed Administrator. The Zoning Administrator of the Town who is the official responsible for administration and enforcement of this ordinance

- (f) Permits
 - (1) Zoning compliance permit / Watershed protection permit. 27
 - Except where either (i) a single family residence is constructed on a lot deeded Except where either (i) a single family residence is constructed on a lot deeded prior to Dec. 4, 2009, or (ii) An Erosion and Sedimentation Control permit is not required, no building or built-upon area shall be erected, moved, enlarged or structurally altered, nor shall any zoning compliance permit. The issued nor shall any change in the use of any building or land be made until a the information required by this Section has been received by the Zoning Administrator and a watershed protection permit has been issued. No watershed protection permit shall be issued except in conformity with the provisions of this ordinance. This permit shall be filed with the Town and shall expire at the end of 2429 months if not used, or if a building permit is not obtained.
 - Watershed protection permit applications shall be filed with the Zoning Administrator. The application shall include a completed application form and supporting documentation deemed necessary by the Town.
 - c. Prior to issuing a Watershed Protection Permit, the Zoning Administrator may consult with qualified personnel for assistance to determine if the application meets the requirements of this ordinance.³⁰
 - (2) Building permit required. Except where provided elsewhere in this article, no building permit required under the state building code shall be issued for any activity for which a watershed permit is required until such permit has been issued.

- (3) Watershed occupancy permit.
 - a. Prior to the occupancy or use of a building erected, altered or moved and/or prior to the change of use of any building or land, the Zoning Administrator shall issue a watershed protection occupancy permit certifying that all requirements of this article beautiful that the content of article have been met.
 - If the watershed protection occupancy permit is denied, the Zoning Administrator shall notify the applicant in writing stating the reasons for denial.
- (g) Occupied lots. This category consists of lots occupied for residential purposes at the time of the adoption of the ordinance from which this article is derived. These lots may continue to be used, provided that whenever two or more adjoining lots of record, one of which is occupied, are in single ownership at any time after Dec. 4, 2009, and such lots individually or together have less area than the minimum requirements for residential purposes specified in this article, such lots shall be combined to create lots which meet the minimum size requirements or which minimize the degree of nonconformity. The undeveloped lot may not be developed unless and until it complies with this ordinance.
- (h) Industrial use of land. This category consists of existing industrial uses and/or the storage of hazardous or toxic materials where a spill containment plan is not implemented and where such use of the land is not permitted to be established in the watershed area. Such existing uses may be continued except as provided for in subsection (i)(1) a. 4 of this section.
- (i) Permitted uses
 - (1) The following uses are permitted as principal uses in the watershed protection overlay district provided such uses are also permitted in the underlying zoning district and providing that the requirements stated in this section and this zoning and subdivision ordinances
 - - Agriculture, subject to the provisions of the Food Security Act of 1985 and the Food, Agricultural, Conservation and Trade Act of 1990.
 - Silviculture, subject to the provisions of the Forest Practices Guidelines Related to Water Quality (15 NCAC 1I .0101.0209).
 - Residential development as permitted in the underlying zoning district provided that it meets the standards of the WSWOD.
 - Nonresidential development as permitted in the underlying zoning district provided that it meets the standards of the WSWOD.
 - b. Density and Built-upon (impervious) limits in the protected area.

 $^{^{\}rm 27}$ This will need to be revised to follow Johnston County's procedure. Depends on the Interlocal

Agreement.

Note to DEQ: Town does not issue building permits. Johnston County issues building permits. Zoning compliance permits are required before building permits can be issued.

NC Chap 160D requires 24 months.
 Model Ordinance Section 308

Model Ordinance Section 309. Of course, Town does not issue building permits.



- Where the maximum allowed built-upon area conflicts with another ordinance or standard, the stricter standard, or lower maximum allowed built-upon area applies. For example, where either (i) the Johnston County Stommwater Ordinance as adopted by reference by the Town, or (ii) Zoning Ordinance section 30-352 apply, then lower built-upon area requirements apply.
- Single family residential uses shall develop at a maximum of two (2) dwelling units per acre (2 du/ac) or 20,000 square feet per lot, excluding street rights-of-way. In the alternative, the maximum built upon area shall be 24%.
- All other residential and non-residential development shall not exceed twenty-four percent (24%) built-upon area. For projects without a curb and gutter street system, development shall not exceed thirty-six (36%) percent built-upon area.
- Cluster Development ³² is allowed on a project-by-project basis of all of the following conditions are met:
 - a. Overall density shall meet the requirements of 1 or 2 above; and
 - Buffers (vegetated setbacks) shall meet the requirements of (i)(1) c below: and
 - c. Built-upon areas are designed and located to minimize stormwater runoff impacts to receiving waters, minimize concentrated stormwater flow, maximize the use of sheet flow through vegetated areas and maximize the flow length through vegetated areas; and
 - d. Areas of concentrated development shall be located in upland areas and away from surface waters and drainage ways. In determining whether these criteria have been met the approving body shall take into account site-specific factors such as topography, site layout and the protection of water quality; and
 - The remainder of the tract shall remain in a vegetated or natural state;
 - f. The area in a vegetated state shall be conveyed to a home owner's association, the Town for preservation as a park or greenway, a conservation organization, or placed in a permanent conservation or farmland preservation easement; and

9

- g. A maintenance agreement for the vegetated or natural area shall be recorded with the Johnston County Register of Deeds and incorporated into any restrictive covenants for the development; and
- h. Vegetated swales and/or "curb outlet systems" as described in subsection (j) will be provided.
- Density Averaging. An applicant may average development density on up to two noncontiguous properties for purposes of achieving compliance with the water supply watershed development standards if all of the following
 - a. The properties are within the Archer Lodge water supply watershed.
 - Overall project density meets applicable density or stormwater control requirements of this section.
 - c. Vegetated setbacks on both properties meet the minimum requirements in section (j) below.
 - d. Built upon areas are designed and located to minimize stormwater runoff impact to the receiving waters, minimize concentrated stormwater flow, maximize the use of sheet flow through vegetated areas, and maximize the flow length through vegetated areas.
 - Areas of concentrated density development are located in upland areas and, to the maximum extent practicable, away from surface waters and drainageways.
 - f. The property or portions of the properties that are not being developed will remain in a vegetated or natural state and will be managed by a homeowners' association as common area, conveyed to the Town or County as a park or greenway, or placed under a permanent conservation or farmland preservation A metes and bounds description of the areas to remain vegetated and limits on use shall be recorded on the subdivision plat, in homeowners' covenants, and on individual deed and shall be irrevocable.
 - g. Development permitted under density averaging shall transport stormwater runoff by vegetated conveyances to the maximum extent practicable.
 - h. A special use permit shall be obtained from the Board of Adjustment to ensure that both properties considered together meet the standards of the watershed ordinance and that potential owners have record of how the watershed regulations were applied to the properties.

³² 15A NCAC 02B.0624 (8) [June 2020]



- Low-Density Option. Sub-sections 1, 2 or 3 are collectively known as the "low density option". No "high density option" is permitted.
- Calculation of Density
 - Project Density is calculated as the Total Built Upon Area divided by the Total Project Area;
 - b. A project with "existing development" may calculate Project Density as in 6.a. or as:

(Total Built-Upon Area – Existing Built-Upon Area)

(Total Project Area – Existing Built-Upon Area)

33

- c. When there is a net increase of built-upon area, only the area of net increase is subject to the Water Supply Watershed Overlay District standards
- d. Where existing development is replaced with a new built-upon area, and there is a net increase of built-upon area, only the area of net increase is subject to the Water Supply Watershed Overlay Standards.
- (j) Vegetated setback (Landscaped buffer area) required 34.
 - (1) Vegetated setback. (buffer)
 - a. Vegetated setbacks or buffers are required along all perennial streams and waterbodies as indicated on either the most recent versions of the U.S. Geological Survey (USGS) 1:24,000 scale (7.5 minute) quadrangle topographic maps, which are incorporated herein by reference and are available online at no cost at http://www.usgs.gov/pubprod; or another map developed by the Town, County or N.C. DEQ and approved by the Environmental Management Commission.
 - b. Where USGS topographic maps do not distinguish between perennial and intermittent streams, an on-site stream determination may be performed by an individual qualified to perform such stream determinations. "Qualified Individual" is defined in section (e) definitions above.
 - c. Width of Vegetated Setback / Buffers: The following minimum widths apply from both banks or sides of any surface waters, including perennial streams, lakes, ponds, reservoirs measured horizontally from the normal pool elevation of impoundments or the top of bank of streams: (i) Thirty (30) feet for all Low

34 15A NCAC 02B.0624 (11) Vegetated Setbacks

11

Density Option development; (ii) Ten (10) feet OR equivalent as determined under 15A NCAC 02B.0622 for agricultural activities.

- (2) Uses of the Vegetated Setback / Buffer: The Vegetated Setbacks may be cleared or graded but shall be replanted and maintained in grass or other vegetation. No new built-upon area shall be allowed except for the following uses where it is not practical to locate them elsewhere:
 - a. Publicly funded linear projects such as roads, greenways and sidewalks;
 - Water dependent structures such a docks;
 - c. Minimal footprint uses such as poles, signs, utility appurtenances and security lights. Built-upon area associated with these uses shall be minimized and the channelization of run-off shall be avoided.
 - d. Artificial streambank and shoreline stabilization is not subject to the requirements of this sub-section.
 - e. Divisions of property into lots that are exempt from the Town's subdivision ordinance shall implement the requirements of this sub-section to the maximum extent practicable considering site-specific factors including technical and cost considerations as well as water-quality protection.
- (k) Additional requirements for Low Density Projects. Low-density projects shall comply with all of the following:
 - (1) Vegetated Conveyances. Stommwater runoff from any development shall be released to vegetated areas as dispersed flow or transported by vegetated conveyances to the maximum extent practicable. In determining whether this criteria has been met the Zoning Administrator shall take into account site specific factors such as topography and site layout as well as water-quality protection. Vegetated conveyances shall be maintained in perpetuity to ensure that they function as designed. Vegetated conveyances meeting the following criteria satisfy the requirements of this sub-section:
 - Side slopes shall be no steeper than 3:1 (Horizontal to vertical) unless it is demonstrated to the Zoning Administrator that the soils and vegetation will remain stable in perpetuity based on engineering calculations and on-site soil investigation; and
 - b. The conveyance is designed so that it does not erode during peak flow from the 10-year storm as demonstrated by engineering calculations submitted with the application for a Watershed Permit by a NC Registered Professional Engineer.
 - (2) Curb Outlet Systems. Instead of vegetated conveyances, low density projects have the option to use curb and gutter with outlets to convey stormwater to grassed swales or vegetated areas. The requirements for curb outlet systems are as follows:

 $^{^{\}mbox{\scriptsize 33}}$ This is supposed to be an equation. I'm trying to get it to come out right.



- a. The curb outlets are located so that the swale or vegetated area can carry the peak. flow from the 10-year storm at a non-erosive velocity
- The longitudinal slope of the swale or vegetated area shall not exceed five percent except where not practical due to physical constraints. In these cases, devices to slow the rate of runoff and encourage infiltration to reduce pollutant delivery to surface waters shall be provided.
- c. The swale's cross-section shall be trapezoidal with a minimum bottom width of
- d. The side slope of the swale or vegetated area shall be no steeped than 3:1(horizontal: vertical).
- Low density developments may use treatment swales designed in accordance with 15A N.C. Administrative Code 02H.1061.
- (1) Establishment of the watershed review board. The Board of Adjustment shall serve as the watershed review board as it is required in 15A N.C. Administrative Code 02B.0623 (5) (March 1, 2019).
- (m) Variances. The Board of Adjustment shall hear and decide on petitions, requesting a variance from the standards of the water supply watershed protection overly district following the procedures and standards of Chapter 2, Divisions 2, 3 and 4 with the following exceptions:
 - (1) Instead of the standards of section 2-47 (e) the Board of Adjustment shall use the following standards 35:
 - a. There are difficulties or hardships that prevent compliance with this section (30-
 - b. The variance is in accordance with the general purposes and intent of Section 30-131: and
 - If the variance is granted, the proposed development / project will ensure equal or better protection of the waters of the State than the requirements of this section, 30-131 and that the stormwater controls will function in perpetuity.
 - (2) Procedural changes to Chapter 2, Division 4, Quasi-Judicial Hearing Procedures. In addition to the requirements of Chapter 2, Division 4, the following procedures will be followed:
 - Minor Watershed Variances. A thirty-day comment period shall run following the submission of a completed variance application and before the Board of Adjustment hears the application. The Zoning Administrator shall notify all other

13

local governments having jurisdiction in the watershed and all entities using the water supply for consumption. 36

- b. Major Watershed Variances. A decision by the Board of Adjustment to approve a major watershed variance shall be preliminary only. The Zoning Administrator shall within 30 days of the board's decision, forward a record of the hearing, findings, and conclusions of law to the state environmental management sion for review and final decision. The preliminary record of the hearing
 - 1. The variance application;
 - The hearing notices;
 - The evidence presented;
 - 4. Motions, offers of proof, objections to evidence, and rulings on them;
 - 5. Proposed findings and expectations;
 - 6. The proposed decision, including all conditions proposed to be added to the

If the Environmental Management Commission approves the decision of the Board of Adjustment or approves the decision with conditions, then the Commission shall repare decision that authorizes the Board of Adjustment to issue a final decision including any conditions added by the Commission.

If the Environmental Management Commission denies the major watershed variance, the Commission shall send the decision to the Board of Adjustment for final action in accord with the Commission's order.

- (n) Additional Duties of the Zoning Administrator³⁷: The Zoning Administrator shall maintain
 the following records and furnish a copy to the Water Resources Division upon request:
 - (1) A copy of the records of all variance applications heard by the Board of Adjustment, including the record of decision; and
 - (2) A description of all projects for which the Board of Adjustment has granted a variance;
 - (3) Records of inspections of Stormwater Control Measures.

^{35 15}A NCAC 02B.0623 (5)

This means just the Neuse River Basin watershed in which Archer Lodge is located, which includes Clayton, Johnston County and Wilson's Mills, Benson, Four Oaks, Kenly, Micro, Pine Level, Princeton, Selma, Smithfield.

In the UDO, combine with other duties of the Zoning Administrator.




(o) OPERATION and MAINTENANCE of Stormwater Control Measures (SCM)

When engineered stormwater control measures are required, they shall be operated and maintained according to the provisions of 15A NCAC 02B.0623 (7), as amended, which is incorporated herein by reference as if fully set out herein.

15

Attorney Benshoff began with the following presentation:





Presentation Overview




- □ Brief History
- □ Terms of Art
- □ The Amendments
- □ Discussion

Brief History



- 1989 General Assembly adopts GS 143-214.5 Water Supply Watershed (WSW) Protection
- □ 1992 Environmental Management Commission (EMC) adopts regulations in the NC Admin. Code (NCAC)
- □ 2009 Town adopts Zoning and Subdivision Ordinance
- 2010 Latest version of Johnston County WSW
 Ordinance
- □ 2013 Town adopts Johnston County WSW Ordinance
- 2019 EMC amends NCAC; Town and JC must amend by 2020.

What is Stormwater & Why is it a Problem?



- Storm events produce runoff (stormwater)
- ❖ Runoff washes pollutants off of land surfaces
- Runoff is not treated at the wastewater facility
- Stormwater runoff carries harmful pollutants directly into our local creeks, and waterways
- Pollutants increase downstream drinking water treatment costs and impair recreational uses
- * Aquatic life and vegetation are sensitive to pollutants





How to reduce pollutants (fertilizer, gas, oil, sediments)

FROM "NON-POINT SOURCE" RUNOFF?


- ☐ Filter sheets of stormwater through forests
- □ Filter stormwater through grasslands
- Build "on-site stormwater systems" to State standards. EX. Ponds
- Some or all are required, Town has options
- □ Rule of Thumb More built upon area requires more removal / treatment

Key Term "Built Upon Area"


USED TO BE CALLED "IMPERVIOUS SURFACE AREA"

What is it?

- Building roof tops
- Paved parking lots
- Decks
- Sidewalks
- Streets
- Compacted gravel




More Built Upon Area = More Runoff





More runoff, faster carrying more pollutants



All NC surface fresh waters divided into classes

CLASSES:

- □ C incidental human contact
- □ B full contact
- □ WS-I Water Supply I Undeveloped watersheds
- WS-II and III
- WS-IV moderately to highly developed watersheds. Neuse River in Johnston County.


WS-IV Limits

REQUIRED BY EMC THROUGH NCAC


- □ Low Density Built Upon Area 24% or Less
- High Density Option 24 to 50% (not recommended yet)



Built upon areas must be designed and located to:



All NC watersheds mapped by NC DEQ



Built-upon Area

Maximum RESIDENTIAL Built Upon Area

- □ EITHER 2 dwelling units/acre (20,000 sq. ft. min. lot size)
- □ 24 % Built-upon Area
- OR 36% Built-upon Area without curband-gutter
- □ 24 36 % Built-upon Area
- \square OR



Cluster Development

Same Built Upon Areas as previous slide

- □ Development clustered "upland"
- $\ \square$ Stream buffers required
- □ Development restrictions on natural areas
- \square OR

Density Averaging




- □ I. NC General Statute 143-214.5 (d2)
- Local governments may allow applicants to average development density on 2 noncontiguous properties if 8 conditions are met.

Condition 1



- Properties must be within the same water supply watershed
- •If only one property is in critical area, it must be the donating lot.
- If both properties are in critical area, either can donate.






Condition 3

Stream / water body buffers must meet minimum requirements (Next TOPIC)

Condition 4: Built upon areas must be designed and located to:





Condition 5

20

NC DEQ

- □ To the maximum extent practicable
- Concentrated development areas should be in uplands away from surface waters and drainageways
- Development permitted under density averaging and meeting applicable lowdensity requirements shall transport stormwater runoff by vegetated conveyances. (i.e., swale planted in grasses)

Condition 6

21

NC DEQ

- There are two requirements for the portions of properties that will remain undeveloped:
 - 1. It must remain in a vegetated or natural state in perpetuity.
 - 2. A metes and bounds description and irrevocable limits on use must be recorded.

Condition 7

22

NC DEQ G.S. 143-214.5(d2)(6)

- Properties (or portions of) that will remain undeveloped must either be:
 - Managed by a homeowners' association as a common area,
 - Conveyed to the local government as a park or greenway,
 - Placed under permanent conservation or farmland preservation easement, or
 - Have long-term compliance handled by a local government through deed restrictions and electronic permitting mechanism.



Condition 8

NC DEQ

□ Town's Board of Adjustment shall issue a Special Use Permit to ensure that both properties considered together meet the standards of this ordinance and that potential owners have a record of the watershed regulation applied. (i.e., Record SUP in JC ROD office.)

Stream-side (water body) Buffers

Buffers

- □ Is it on the USGS topo map?
- If YES, a 30-foot vegetated buffer required,
 10 ft. for agriculture
- □ Not on map, or possibly intermittent?
- □ Hire an expert to determine what kind of stream it is.

Miscellany

25

Low Density Option "Vegetated swales" required. In English, grass in a ditch having no more than 3:1 side slopes.



Board of Adjustment = Watershed Review Board

Page 13 agenda packet

- Different variance standards and procedures
- NC Environmental Management Commission has authority to reject Town-approved MAJOR VARIANCES.
- □ See page 4 for definitions

Neuse Rules Optional for Town




- Neuse River Basin Nutrient Sensitive Waters Management Strategy: Basin wide Stormwater Requirements 15A NCAC 2B.0235
- Neuse Rules MANDATORY for Clayton and JC
- 2008 JC Land Development Code (LDC) Art. VII Stormwater
 Ordinance incorporates Neuse Rules
- 2012 Town / JC MOA applying Stormwater Ordinance to Town
- 2013 Town adopts Environmentally Sensitive Areas District
- Neuse Rules amended repeatedly, most recently in 1998, 2020.

The Point? OVERLAP



- Town's Environmental Overlay and Water Supply Watershed Districts and JC's Art. VII Stormwater regulate the same topics.
- EXAMPLES: Stream Buffers, Built Upon Area limits;
 Land Uses
- The stricter standard applies.
- □ A recipe for confusion.





Points of Interest:

- 2013 Town adopted the 2010 version of the Johnston County Water Supply Watershed (WSW) Ordinance. EMC has no record of that ordinance being sent by the Town for review or approval.
- 2019 NC Environmental Management Commission (EMC) amended the NC Administrative Code (NCAC) which required counties and towns to amend their WSW Ordinance by 2020.
- Town Special Counsel and Town Planner working with EMC since January/February 2020 on required amendments. WSW draft provisions, complying with 2019 amendments, have been submitted and, in 2020, preliminary approval has been received from EMC Staff. It is the language they expect to see.
- November 2020 WSW draft provisions forwarded to the Town Council/Planning Board for consideration.
- Watershed has two parts: Critical Area & Protected Area
- The location of Johnston County's Watershed area on the NC Department of Environmental Quality (DEQ) map is WS-IV, which is the most degraded quality watershed. State has determined that water running 10 miles down a watershed will clean itself and is drinkable.
- Archer Lodge is not located in the critical areas of the DEQ map, which will only require one set of standards to be adopted.
- Johnston County is behind in amending their Neuse rules.
- Watershed variances are different than regular variances. There are different standards.
- In the future, the Town may need to look at environmental sensitive district areas, and development provisions. Need to also look at Stormwater Agreement with Johnston County.
- Once the Amended WSW Ordinance has been adopted, then it requires formal approval by the EMC Staff before the Town is recognized on the DEQ Watershed Map. Every future amendment must be approved by EMC.
- PB Chairman Oglesby noted that utilities and trails could be placed in buffer areas.

Ms. Maybee expressed her gratitude towards Mr. Benshoff and EMC. She further shared that the Planning Board (PB) will review the Amendments at their meeting in January 2021. If approved by PB, then PB will make a recommendation to the Archer Lodge Town Council for consideration of adopting amendments. A public hearing would be set for the next Regular Council meeting in February where Town Council will discuss and consider adoption. If approved, then it will be forwarded to EMC for their formal approval process.



Attorney Burrell recommended the following:

- Town Council hold the Special Use Permit Quasi-Judicial hearings and the Watershed Review Board, which is the Board of Adjustment, hold the watershed variance hearings due to being more familiar with variances procedures.
- The Town review their Stormwater Agreement with Johnston County and buffer requirements.

b) Archer Lodge Planning Board and Board of Adjustment Meeting(s) Discussion

Ms. Maybee advised that both the Archer Lodge Planning Board meeting and the Archer Lodge Board of Adjustment meeting will be held Wednesday, January 20, 2021 beginning at 6:30 p.m. Both meetings will be held in the Jeffrey D. Barnes Council Chambers located in the Archer Lodge Town Hall, 14094 Buffalo Road, Archer Lodge, NC.

c) October 31, 2020 Interim Financials & Year-to-Date Comparison (FY20 compared to FY21)

Ms. Batten shared a brief overview of the October 31, 2020 financials. She stated that the General Fund revenue collection rate was low at 18% of the anticipated collection amount for the fiscal year and the General Fund expenditures remain constant on a monthly basis; therefore, the net for the month end resulted in a loss of roughly \$6,000. The other funds show increases by the small amounts of investment earnings. Also, the monthly transfer from the General Fund to the Park Reserve Fund for the designated three-cents tax revenues collected provided an increase in the Park Reserve Fund for month end.

Regarding the year-to-date comparison between October 2019 and October 2020, Ms. Batten noted that revenues were higher in October 2020 and the expenditures were lower in October 2020; therefore, the year-to-date totals for October 2020 netted an increase by approximately \$33,000. No further discussion.

4 ADJOURNMENT:

a) Closing Remarks:

Mr. Gordon shared a letter drafted by Jim Thames, Consulting Engineer, that will be mailed to the Town of Clayton regarding detailed estimates and costs for providing sewer to the Town of Archer Lodge.

Mr. Gordon also shared an article about the feasibility of a Johnston County Water/Sewer Authority.

Mayor Mulhollem thanked both the Town Council and the Planning Board for their time and dedication to the Town. He encouraged continuing the Joint Meeting and if anyone had any questions or concerns, then please contact Staff or himself.

Adjourned meeting at 8:13 p.m.

Matthew B. Mulhollem, Mayor	John F. Oglesby, Planning Board Chair
Kim P. Batten, Town Clerk	Joyce P. Lawhorn, Deputy Clerk

NOVEMBER 16, 2020





Regular Council - Minutes Monday, December 7, 2020

COUNCIL PRESENT:

Mayor Mulhollem Mayor Pro Tem Castleberry Council Member Bruton (Remotely) Council Member Jackson Council Member Purvis

STAFF PRESENT:

Mike Gordon, Town Administrator Marcus Burrell, Town Attorney Julie Maybee, Town Planner Kim P. Batten, Finance Officer/Town Clerk Joyce Lawhorn, Deputy Clerk

COUNCIL ABSENT:

Council Member Wilson

MEDIA PRESENT:

1. <u>WELCOME/CALL TO ORDER:</u>

a) Invocation

Mayor Mulhollem called the meeting to order at 6:30 p.m. in the Jeffrey D. Barnes Council Chambers located at 14094 Buffalo Road, Archer Lodge, NC and declared a quorum present. Council Member Jackson offered the invocation.

b) Pledge of Allegiance

Mayor Mulhollem led in the Pledge of Allegiance to the US Flag.

Mayor Mulhollem took a moment to recognize the beautiful Christmas plants in Council Chambers which were given by the Jeffrey D. Barnes family and further expressed how much they captured the spirit of the season.

2. APPROVAL OF AGENDA:

a) No additions or changes noted.

Moved by: Council Member Wilson Seconded by: Council Member Purvis

Approved Agenda.

CARRIED UNANIMOUSLY

3. **OPEN FORUM/PUBLIC COMMENTS:**

(Maximum of 30 minutes allowed, 3 minutes per person)

a) No Public Comments.

4. **CONSENT AGENDA:**

a) Approval of Minutes:21 Sep 2020 Work Session Minutes



05 Oct 2020 Regular Council Meeting Minutes02 Nov 2020 Regular Council Meeting Minutes

Moved by: Council Member Wilson Seconded by: Mayor Pro Tem Castleberry

Approved Consent Agenda.

CARRIED UNANIMOUSLY

5. DISCUSSION AND POSSIBLE ACTION ITEMS:

Discussion and Consideration of Appointing Budget Director per Classification and Pay Plan and Personnel Policy adopted May 7, 2018

Mayor Mulhollem shared that in May 2018 the Town adopted Resolution# AL2018-05-07b Implementing the Town of Archer Lodge Personnel Policy as provided by The Maps Group in which Council received a copy. He reminded Council that five job descriptions were included and in reviewing specifically the Town Administrator's description, it states that the Town Administrator serves as budget developer. He further shared that Council Member Bruton has carried out these duties for several years and has done a fantastic job. Upcoming in 2021, he explained that the Archer Lodge Town Park project will progress in a manner that he felt that the Town Administrator must make decisions daily. Discussion followed.

To allow Council Members additional time, Council Member Wilson suggested that Item 5.a. - Appointing Budget Director be discussed and considered at the January 4, 2021 Regular Council meeting. Mayor asked the Town Clerk to place this item on the January 4, 2021 Regular Council Meeting Agenda.

6. TOWN ATTORNEY'S REPORT:

a) No Report.

7. TOWN ADMINISTRATOR'S REPORT:

a) Mr. Gordon reported the following:

- The letter regarding sewer was mailed to the Town of Clayton with no reply yet.
- Year one schedule of the Town Park Project is approximately 50% complete, which is slightly behind due to COVID-19.
- Park project construction drawings should be completed by February/March 2021.
- Jenn Beedle-Munley, Central East Recreation Consultant for PARTF Grant, is satisfied with the progress on the three-year project.
- Council Member Bruton shared that NCDOT has grants that have been given extensions due to COVID-19 and suggested that Staff inquire about an extension with PARTF Grant, if needed.

8. FINANCIAL/TOWN CLERK'S REPORT:

a) November 30, 2020 Interim Financials & Year-to-Date Comparison (FY20 compared to FY21)

Ms. Batten shared an overview of the November 30, 2020 financials. She noted that projected revenues in the General Fund were roughly 23% collected and additional Fee in Lieu of Recreation in the amount of



\$20,000 had been received. General Fund expenditures for November were estimated to be 33% with the end of November being 42% complete of the fiscal year. Ms. Batten reminded Council that monthly investment earnings are allocated to each of the four funds on a monthly basis as noted in the interim financial statements. Aside from the General Fund, the Park Reserve Fund shows the most activity with transfers to and from the fund for the three-cents tax revenues and for expenditures associated with the Park project.

Ms. Batten explained that the net difference between November 2020 and November 2019 was estimated to be a decrease of \$3,200; therefore, this year and last year were very similar for the month of November.

Ms. Batten quickly mentioned Fund 41, the Archer Lodge Town Park Project. The first PARTF Grant proceeds were received during November and the only expenditures through November 2020 were in design and engineering. No further discussion.

9. PLANNING/ZONING REPORT:

a) Cape Fear Regional Hazard Mitigation Plan Update

Ms. Maybee opened with the Cape Fear Regional Hazard Mitigation Plan Staff Report which appears as follows:



Staff Report Page | 1
TOWN OF ARCHER LODGE

14094 Buffalo Road Archer Lodge, NC 27527 Matn: 919-359-9727 Fax: 919-359-3333

Mayor.
Matthew B. Mulhollem

Council Members:
Ciyde B. Castleberry
Mayor Pro Tem
Teresa M. Bruton
J. Mark Jackson
James (Jim) Purvis, III
Mark B. Wilson

To: Town Council

From: Julie Maybee, Town Planner

Date: December 7, 2020

Cc: Town Administrator, Finance Officer/Town Clerk, Deputy Clerk, Town

Attorney, Brough Law Firm

Re: Agenda Item 9. a. - Cape Fear Regional Hazard Mitigation Plan Update

As conveyed in the fact sheet (link below) for the "Cape Fear Regional Hazard Mitigation Plan", the counties of Chatham, Harnett, Johnston, Lee and Moore, in coordination with their participating municipal jurisdictions (including but not limited to the Town of Archer Lodge, NC) have prepared an update to the regional plan that covers the five county Cape Fear area.

The plan identifies local policies and actions for reducing risk and future losses from natural hazards such as floods, severe storms, wildfires and winter weather.

www.archerlodgenc.gov/media/Dept%20-%20Services/Planning%20&%20Zoning/Cape%20Fear%20Mitigation%20Plan%20Fact Sheet.pd

The updated plan (see link below) also serves to meet key federal planning regulations which require local governments to develop a hazard mitigation plan as a condition for receiving certain types of non-emergency disaster assistance, including funding for hazard mitigation projects. These requirements stem from the Disaster Mitigation Act of 2000 which was passed by the President in October of 2000. This Act mandates that all states and local governments must have hazard mitigation plans in place in order to be eligible to apply for funding under such programs as the Hazard Mitigation Grant Program (HMGP) and the Pre-Disaster Mitigation (PDM) program.

https://gis.aecomonline.net/IRISK2/Documents/Cape%20Fear%20Regional%20Plan/Support/Cape Fear Final-Draft 2020-10-22.pdf

 $^{^{1}\,\}mathrm{AECOM}$ assisted with the plan update



Staff Report Page | 2

Background Information:

On March 14, 2016, Archer Lodge Town Council adopted by Resolution# AL2016-03-14b (below) the (initial) Cape Fear Regional Hazard Mitigation Plan.

RESOLUTION TO ADOPT THE CAPE FEAR REGIONAL HAZARD MITIGATION PLAN

WHEREAS, the Town of Archer Lodge is vulnerable to an array of natural hazards that can cause loss of life and damages to public and private property; and

WHEREAS, the Town of Archer Lodge desires to seek ways to mitigate situations that may aggravate such circumstances; and

WHEREAS, the development and implementation of a hazard mitigation plan can result in actions that reduce the long-term risk to life and property from natural hazards; and

WHEREAS, it is the intent of the Archer Lodge Town Council to protect its citizens and property from the effects of natural hazards by preparing and maintaining a local hazard mitigation plan; and

WHEREAS, it is also the intent of the Archer Lodge Town Council to fulfill its obligation under North Carolina General Statutes, Chapter 166A: North Carolina Emergency Management Act and Section 322: Mitigation Planning, of the Robert T. Stafford Disaster Relief and Emergency Assistance Act to remain eligible to receive state and federal assistance in the event of a declared disaster affecting the Town of Archer Lodge; and

WHEREAS, the Town of Archer Lodge, in coordination with Johnston County, Chatham County, Harnett County, Lee County, Moore County and the participating municipalities within those counties, has prepared a multi-jurisdictional hazard mitigation plan with input from the appropriate local and state officials;

WHEREAS, the North Carolina Division of Emergency Management and the Federal Emergency Management Agency have reviewed the Cape Fear Regional Hazard Mitigation Plan for legislative compliance and has approved the plan pending the completion of local adoption procedures;

NOW, THEREFORE, BE IT RESOLVED that the Archer Lodge Town Council hereby:

- 1. Adopts the Cape Fear Regional Hazard Mitigation Plan; and
- Agrees to take such other official action as may be reasonably necessary to carry out the proposed actions of the Plan.

Adopted this the 14th day of March 2016.

Michael A. Gordon, Mayor

ATTEST:

Kim P. Batten, Town Clerk

Town Council Requested Action:

Staff respectfully requests that the Town Council:

- Review/consider the updated Cape Fear Regional Hazard Mitigation Plan; and
 Please note that a Resolution of Adoption will be presented for consideration at the regular Town Council meeting in January 2021.



Discussion:

- The plan was initially adopted in 2016. It must be reviewed every five years and re-adopted.
- Adopting the plan by Resolution in January 2021 is recommended.
- The Hazard Mitigation Plan is 1,234 pages and the Town of Archer Lodge is mentioned on pages 9-20 and on pages 1131-1132, table 9-12. Ms. Maybee showed Council a copy of the plan and stated that it will be available for review at Town Hall.
- A Public Hearing is not required since there was one when the original plan was adopted.

No questions or comments.

b) Planning | Zoning | Projects | Updates

Ms. Maybee handed a Planning and Zoning Report to Council and reported the following:

- No permits issued and no activity for November 2020.
- Due to the Town having septic systems, Johnston County Environmental Health should inspect the location before starting construction.
- Vinson Park Subdivision has 10 lots with construction underway with a cost value of approximately \$190,000 to \$200,000
- Bittle Creek Subdivision is in the process of getting Environmental Health inspections.

c) Code Enforcement

Ms. Maybee reported the following:

- Code Report making progress:
 - Loop Road Reported possible oil contamination on a residential lot
 - White Tail Lane Reported road condition which was referred to NCDOT
- Animal Control Report:
 - > Total of four incidents for November 2020: cat complaints, traps deployed, and dog bite.

d) CAMPO Update

Ms. Maybee shared that CAMPO has been holding virtual meetings. There are delayed projects and having financial restraints due to COVID-19. She informed Council that she hasn't been available to participate in the virtual meetings due to conflicts but will provide updates as much as possible.

10. MAYOR'S REPORT:

- a) Mayor Mulhollem shared the following:
 - Wished everyone a Merry Christmas.
 - Reminded everyone that 79 years ago today, December 7, 1941, the attack on Pearl Harbor took place. He reflected that his Grandfather, Melvin Merle (Slim) Mulhollem, along with thousands, enlisted at the USMC Recruiter's Office the next day. He asked that everyone extend prayers to all Veterans, their families and especially the WWII Generation.
 - Expressed a great appreciation to Staff for their diligence with conducting town business while dealing with the COVID-19 Pandemic.
 - Reminded that 2021 is election year for the Town Council and two seats will be available. The deadline to run for a seat will be in June 2021.



11. COUNCIL MEMBERS' REMARKS:

(non-agenda items)

- a) Council Member Wilson shared the following:
 - Wished everyone a Merry Christmas and a Happy New Year.
 - Attended the Festival of Lights at Hill Ridge Farms in Youngsville, NC and expressed his amazement with the display of lights and noted that the traffic lines were extremely long.
 - Shared that there are over six million families in need and asked everyone to please remember to donate to the local food kitchens/food banks and to bell ringers during the holiday season.
- b) Council Member Jackson shared the following:
 - Wished everyone a Merry Christmas and Happy New Year.
 - Expressed thanks to Staff.
 - Appreciated good relations between Staff and the Governing Body even when on opposing sides.
- c) Mayor Pro Tem Castleberry shared the following:
 - Wished everyone a Merry Christmas.
 - Expressed gratitude to the Town for the kind expressions of sympathy during the loss of his brother.
 - Shared that at the last Jo Co Economic Development Board meeting, Chris Johnson, Director, spoke highly of the Town and shared that he enjoyed his visit and wishes to return.
 - Briefed Council on the November 2020 Jo Co Economic Development Board meeting.
 - Mr. Castleberry mentioned a musical and animated Christmas Light Show in the Cooper Farms subdivision for all to enjoy.
- d) Council Member Purvis shared the following:
 - Wished everyone a Merry Christmas.
 - Remember the people all over the US that are in need due to storms.
- e) Council Member Bruton shared the following:
 - Thanked Council and Staff for their support.
 - Looking forward to attend meetings in person.

12. ADJOURNMENT:

a) Having no further business, Mayor Mulhollem asked for a motion to adjourn meeting.

Moved by: Council Member Wilson Seconded by: Mayor Pro Tem Castleberry **Adjourned meeting at 7:25 p.m.**

CARRIED UNANIMOUSLY

Martha D. M. Hallan Martin	Was D. D. Harris Trans Charles	
Matthew B. Mulhollem, Mayor	Kim P. Batten, Town Clerk	

TOWN OF ARCHER LODGE RESOLUTION ADOPTING THE UPDATED CAPE FEAR REGIONAL HAZARD MITIGATION PLAN

WHEREAS, the citizens, businesses and properties in the Town of Archer Lodge, NC are subject to the effects of natural hazards that pose threats to lives and cause damage to businesses and properties, and with the knowledge and experience that certain areas of the town/county are particularly vulnerable to drought, extreme heat, hailstorm, hurricane and tropical storm, lightning, thunderstorm wind/high wind, tornado, winter storm and freeze, flood, hazardous material incident, and wildfire; and

WHEREAS, the Town of Archer Lodge, NC desires to seek ways to mitigate the impact of identified hazard risks; and

WHEREAS, the Legislature of the State of North Carolina has in Part 6, Article 21 of Chapter 143; Parts 3, 5, and 8 of Article 19 of Chapter 160A; and Article 8 of Chapter 160A of the North Carolina General Statutes, delegated to local governmental units the responsibility to adopt regulations designed to promote the public health, safety, and general welfare of its citizenry; and

WHEREAS, the Legislature of the State of North Carolina has enacted General Statute Section 166A-19.41 (*State emergency assistance funds*) which provides that for a state of emergency declared pursuant to G.S. 166A-19.20(a) after the deadline established by the Federal Emergency Management Agency pursuant to the Disaster Mitigation Act of 2002, P.L. 106-390, the eligible entity shall have a hazard mitigation plan approved pursuant to the Stafford Act; and.

WHEREAS, Section 322 of the Federal Disaster Mitigation Act of 2000 states that local governments must develop an All-Hazards Mitigation Plan in order to be eligible to receive future Hazard Mitigation Grant Program Funds and other disaster-related assistance funding and that said Plan must be updated and adopted within a five year cycle; and

WHEREAS, the Town of Archer Lodge, NC has performed a comprehensive review and evaluation of each section of the previously approved Cape Fear Regional Hazard Mitigation Plan, adopted by Resolution #AL2016-03-14b on March 14, 2016, and has updated the said plan, as required under regulations at 44 CFR Part 201 and according to guidance issued by the Federal Emergency Management Agency and the North Carolina Division of Emergency Management.

WHEREAS, it is the intent of the Town Council of the Town of Archer Lodge, NC to fulfill this obligation in order that the Town of Archer Lodge, NC and/or Johnston County, NC will be eligible for federal and state assistance in the event that a state of disaster is declared for a hazard event affecting the Town of Archer Lodge, NC and/or Johnston County, NC.

NOW, THEREFORE, be it resolved that Town Council of the Town of Archer Lodge, NC hereby:

1. Adopts the updated Cape Fear Regional Hazard Mitigation Plan.

- 2. Vests with the Town of Archer, NC the responsibility, authority, and the means to:
 - (a) Inform all concerned parties of this action.
 - (b) Cooperate with Federal, State and local agencies and private firms which undertake to study, survey, map and identify floodplain areas, and cooperate with neighboring communities with respect to management of adjoining floodplain areas in order to prevent exacerbation of existing hazard impacts.
- 3. Appoints the Town Administrator or designee of the Town of Archer of Archer Lodge, NC to cooperate/coordinate with the Emergency Services Director of Johnston County, NC to assure that the Hazard Mitigation Plan, on file with the Town Clerk of Archer Lodge, NC, is reviewed annually and every five years as specified in the Plan to assure that the Plan is in compliance with all State and Federal regulations and that any needed revisions or amendments to the Plan are developed and presented to the Archer Lodge Town Council and Johnston County Board of Commissioners for consideration.
- 4. Agrees to take such other official action as may be reasonably necessary to carry out the objectives of the Hazard Mitigation Plan.

DULY ADOPTED ON THIS 4th DAY OF JANUARY 2021, WHILE IN REGULAR SESSION.

		(SEAL) Matthew B. Mulhollem, Mayor
ATTEST:		
	(
Kim P. Batten, Town Clerk	(SEAL)	



TOWN OF ARCHER LODGE

14094 Buffalo Road Archer Lodge, NC 27527 *Main:* 919-359-9727 *Fax:* 919-359-3333

Mayor: Matthew B. Mulhollem

Council Members:
Clyde B. Castleberry
Mayor Pro Tem
Teresa M. Bruton
J. Mark Jackson
James (Jim) Purvis, III
Mark B. Wilson

To: Town Council

From: Julie Maybee, Town Planner

Date: January 4, 2021

Cc: Town Administrator, Finance Officer/Town Clerk, Deputy Clerk, Town Attorney,

Brough Law Firm, CodeWright Planners

Re: Agenda Item 5.a. – Discussion and Consideration of Setting a Public Hearing at the

February 1, 2021 Regular Town Council Meeting for the Text Amendments to the Code of Ordinances, Archer Lodge, NC, Chapter 30, Zoning and Subdivisions, Article II. Zoning, Division 3, Overlaying Zoning Districts, Section 30-131. – Water Supply

Watershed Protection District (WSW).

Summary: The Town is required to adopt ordinances limiting development in drinking water watersheds to protect the drinking water supply of downstream communities. These ordinances must be approved by the State. An updated version of the Town's water supply watershed overlay district is attached. The basis of this regulation is that streams and rivers will naturally clean themselves of certain pollutants after about ten miles of flow. Thus, local governments are required to control certain types of polluting land uses and discharges within defined watershed upstream form drinking water intakes. The regulations become stricter within one mile of drinking water intakes.

<u>History</u>: By the 1980s exploding growth in North Carolina caused conflicts between local governments about developments in drinking water watersheds. At the same time, the U.S. EPA, NC DENR and others were beginning to regulate dispersed runoff caused by cities and towns,

typically from streets. As in the case of other environmental concerns, eventually Congress and the General Assembly adopted statues regulating development and discharges to water bodies to protect public health. Both the State of North Carolina¹ and the U.S. Government² require that municipalities adopt ordinances to protect downstream drinking water sources. Since the early 1990's the State has administered the requirements for the U.S. EPA. The N.C. Environmental Management Commission (EMC) has adopted very specific requirements found in the N.C. Administrative Code. The Town's water supply watershed ordinance must be approved by the EMC.

In 2013, the Town adopted the 2010 version of the Johnston County Water Supply Watershed (WSW) Ordinance. EMC has no record of that ordinance being sent by the Town for review or approval.

NC Environmental Management Commission (EMC) amended the NC Administrative Code (NCAC) in 2019 which required counties and towns to amend their Water Supply Water Ordinance (WSWO) by 2020.

The Town's Special Counsel and Town Planner have been working with the State since January/February 2020. Draft provisions, complying with 2019 amendments, were submitted for State review. Said provisions were tentatively approved by N.C. Dept. of Environmental Quality staff in early November 2020.

Subsequently, at a joint meeting on November 16, 2020, the draft amendments were presented to the Town Council and Planning Board for consideration. At the meeting, the Town Attorney suggested a consistency revision requiring the Town Council to approve special use permits in Water Supply Watershed Protection Overlay District (WSWOD). This revision has been incorporated in the proposed text.

On January 20, 2021, the Planning Board will deliberate and tentatively make findings of fact and a recommendation on the proposed revisions.

Explanation of the Attached Amendments: The state defines the watersheds. Within some of the Neuse River watershed in Archer Lodge, the Town is required to prohibit certain polluting land uses (for example, asphalt plants and chemical works). The Town is also required to limit the amount of land that can be covered by buildings and concrete. This is called "built upon area". The idea is that reducing built upon area will reduce the flow of pollutants into the River because natural areas capture more sediment, nitrogen, motor oil leaked by vehicles and so on. The State requires that the Town offer cluster residential development. Property owners are permitted to use swap built upon areas between parcels upon approval of a special use permit by the Town Council. Planted buffers next to stream and ponds are required. In some cases, development can be built at a higher built upon area, if stormwater is first captured and treated in State approved

¹ N.C. Gen. Stat. Chapter 143, Art. 21 Water and Air Resources, Section 143-211 et seq.

² U.S. Clean Water Act

"engineered control structures" such as ponds.

Requested Town Council Action:

Staff respectfully requests that the Town Council:

- a) Consider the proposed amendments, as referenced herein; and
- b) Set a public hearing at the February 1, 2021 Regular Town Council Meeting for the Text Amendments to the Code of Ordinances, Archer Lodge, NC, Chapter 30, Zoning and Subdivisions, Article II. Zoning, Division 3, Overlaying Zoning Districts, Section 30-131. Water Supply Watershed Protection District (WSW).

Attachments: Text Amendments to the Code of Ordinances, Archer Lodge, NC, Chapter 30,

Zoning and Subdivisions, Article II. Zoning, Division 3, Overlaying Zoning Districts, Section 30-131. – Water Supply Watershed Protection District (WSW).

Note: As proposed, Section 30-131 will be renamed "Water Supply Watershed

Protection Overlay District (WSWOD).

DRAFT

Code of Ordinances, Town of Archer Lodge, NC, Chapter 30, Zoning and Subdivisions, Article II. Zoning, Division 3. Overlaying Zoning Districts, Section 30-131. - Water Supply Watershed Protection Overlay District (WSWOD)

- (a) Authority. The General Assembly has, in G.S. sections 143-214.5, 160A-174, 160A-371, 160D-801, 160D-702 and 160A-381, delegated the responsibility and directed the Town to establish water supply watershed protection programs, to regulate land use and development within water supply watersheds and to adopt regulations designed to promote the public health, safety and general welfare of its citizenry.
- (b) *Intent*. The Water Supply Watershed Protection Overlay District (WSWOD) is to provide, in designated watershed areas, a higher level of control from activities and situations that could degrade the quality of the water entering the Neuse River, as identified in the state watershed protection management plan.
- (c) Applicability. The provisions of this article shall apply within the area designated as a public water supply watershed by the N.C. Environmental Commission and are defined and established on the map entitled "Water Supply Watershed Protection Overlay District of Archer Lodge, North Carolina," on the official zoning map of the Town. Land use and development within this district that requires an Erosion and Sedimentation Control Permit must comply with all the requirements of this article and the underlying zoning district.¹
- (d) *Exceptions to applicability*. The watershed protection requirements of this section shall not apply to:
 - (1) Development established prior to December 4, 2009, the first date of adoption of this ordinance.
 - (2) New or existing single-family detached dwelling unit.
 - (3) Development that does not require an Erosion and Sedimentation Control Permit.
 - (4) Existing development, unless it is expanded or replaced, in which case the rules at sub-section (f) below apply.

In addition, the following exceptions also apply:

(5) Nothing contained herein shall repeal, modify, or amend any Federal or State law or regulation, or any ordinance or regulation pertaining thereto except any ordinance which these regulations specifically replace; nor shall any provision of this Ordinance

-

¹ 15A NCAC 02B.0624(2) (9/1/2019)

amend, modify, or restrict any provisions of the Code of Ordinances of the Town; however, the adoption of this Ordinance shall and does amend any and all ordinances, resolutions, and regulations in effect in the Town at the time of the adoption of this Ordinance that may be construed to impair or reduce the effectiveness of this Ordinance or to conflict with any of its provisions.

- (6) It is not intended that these regulations interfere with any easement, covenants or other agreements between parties. However, if the provisions of these regulations impose greater restrictions or higher standards for the use of a building or land, then the provisions of these regulations shall control.
- (7) Non-conforming lots. If a nonconforming lot of record is not contiguous to any other lot owned by the same party, then that lot of record shall not be subject to the development restrictions of this ordinance if it is developed for single-family residential purposes. If a non-conforming lot of record is contiguous to another lot owned by the same party, the lots shall be combined to make a conforming lot or one that is more conforming than each lot individually. Any lot or parcel created as part of any other type of subdivision that is exempt from a local subdivision ordinance shall be subject to the land use requirements (including impervious surface requirements) of these rules, except that such a lot or parcel must meet the minimum buffer requirements to the maximum extent practicable.
- (e) *Definitions*. The following words, terms and phrases, when used in this section, shall have the meanings ascribed to them in this section, except where the context clearly indicates a different meaning. Where these defined terms conflict with or duplicate other definitions in this ordinance, these definitions control only in the use application of this section and are not to be used in using , interpreting or applying other sections of this ordinance.

Best management practices means a structural or nonstructural management-based practice used singularly or in combination to reduce nonpoint source inputs to receiving waters in order to achieve water quality protection goals.

Buffer means an area of natural or planted vegetation through which stormwater runoff flows in a diffused manner so that the runoff does not become channelized and which provides for infiltration of the runoff and filtering of pollutants. The buffer is measured landward from the normal pool elevation of impoundments and from the bank of each side of streams or rivers.

Built-upon area³ (impervious surface) means impervious surface and partially impervious surface to the extent that the partially impervious surface does not allow water to infiltrate through the surface and into the subsoil. "Built-upon area" does not include a slatted deck; the water area of a swimming pool; a surface of number 57 stone, as designated by the

² 15A NCAC 02B.0622(1)(3) 3/1/2019. This rule should be applied to all nonconforming lots in the revised subdivision ordinance. AB

³ GS § 143-214.7 (b2)

American Society for Testing and Materials, laid at least four inches thick over a geotextile fabric; a trail (a linear corridor on land or water protected from motor vehicles, providing public access for recreation or transportation⁴) that is either unpaved or paved as long as the pavement is porous with a hydraulic conductivity greater than 0.001 centimeters per second (1.41 inches per hour); or landscaping material, including, but not limited to, gravel, mulch, sand, and vegetation, placed on areas that receive pedestrian or bicycle traffic or on portions of driveways and parking areas that will not be compacted by the weight of a vehicle, such as the area between sections of pavement that support the weight of a vehicle...

Cluster Development. Cluster development means the grouping of buildings in order to conserve land resources and provide for innovation in the design of the project including minimizing stormwater runoff impacts. This term includes nonresidential development as well as single-family residential and multi-family developments. For the purpose of this ordinance, planned unit developments and mixed use development are considered as cluster development.

Commission means the N.C. Environmental Management Commission (EMC).⁵

Critical area. The area adjacent to a water supply intake or reservoir where risk associated with pollution is greater than from the remaining portions of the watershed. The critical area is defined as extending either one-half mile from the normal pool elevation of the reservoir in which the intake is located or to the ridge line of the watershed (whichever comes first); or one-half mile upstream from the intake located directly in the stream or river (run-of-theriver), or the ridge line of the watershed (whichever comes first). Major landmarks such as highways or property lines may be used to delineate the outer boundary of the critical area if these landmarks are immediately adjacent to the appropriate outer boundary of one-half mile. At the adoption of the ordinance from which this article is derived, there are no known critical areas in the planning area of the Town.

Curb Outlet System⁶ means curb and gutter with breaks or other outlets used to convey stormwater runoff to vegetated conveyances or other vegetated areas."

Development means any land-disturbing activity that increases the amount of built-upon area or that otherwise decreases the infiltration of precipitation into the subsoil.

Dispersed Flow means uniform shallow flow that is conveyed to a vegetated filter strip, another vegetated area, or stormwater control measure (SCM). The purpose of dispersed flow is to remove pollutants through infiltration and settling, as well as to reduce erosion prior to stormwater reaching surface waters.

⁴ GS §143B-94 (6) ⁵ 15A NCAC 02h.1002((7)

⁶ 15A NCAC 02H.1002

⁷ GS § 143-214.7 (a1)(1)

⁸ 15A NCAC 02H.1002 (13)

*Erosion and Sedimentation Control Plan*⁹ means any plan submitted to the Division of Energy, Mineral and Land Resources or a delegated authority in accordance with G.S. section 113A-57.

Existing Development¹⁰. Those projects that are built or those projects that have established a vested right under N.C. law as of Dec. 4, 2009.

Existing Lot (Lot of Record). A lot which is part of a subdivision, a plat of which has been recorded in the Office of the Johnston County Register of Deeds prior to the adoption of this ordinance (Dec. 4, 2009), or a lot described by metes and bounds, the description of which has been so recorded prior to the adoption of this ordinance.

Infiltration ¹¹ means the movement of storm water runoff into the soil's pore spaces.

*Intermittent Stream*¹² a well-defined channel that contains water for only part of the year, typically during winter and spring when the aquatic bed is below the perched of seasonal high water table. The flow may be supplemented by stormwater runoff.

Major watershed variance¹³ means a variance that is not a "minor watershed variance" as it is defined below.

Minor watershed variance ¹⁴ means a variance from the minimum standards of this ordinance that results in the relaxation of up to ten per cent of any buffer (vegetated setback), or density requirement applicable to low density development, or the relaxation of up to five per cent of any buffer or density applicable to high density development ¹⁵. For variances to a buffer, the per cent variation shall be calculated using the footprint of the built upon area proposed to encroach within the vegetated setback divided by the total area of the vegetated setback within the project. ¹⁶ When the Town's ordinances are more stringent than the State's minimum watershed protection requirements, a variance to the Town's ordinance is a minor watershed variance provided that the result of the variance is not less stringent than the State's Rules. ¹⁷

⁹ *Id* at (16)

¹⁰ 15A NCAC 02H.1002

¹¹ *Id* at (20).

¹² 15A NCAC 02b.0610(24)

¹³ 15A NCAC 02B.0621 (14)

¹⁴ 15A NCAC 02B.0621 (16)

¹⁵ Under GS Chap 160D and 160A Art. 19, boards of adjustment do not have the power to alter densities and lot sizes. "Density" in this case means per cent of impervious coverage?

¹⁶ Move last sentence to variance section.

¹⁷ 15A NCAC 02B.0623 (5)

Nonconforming lot of record means a lot described by a plat or deed that was recorded prior to Dec. 4, 2009 that does not meet the minimum lot size or other development requirements of this ordinance.

Normal Water Level or Pool Elevation means the water level within a pond, lake or other impoundment natural or man-made (including beaver ponds). At the elevation of the outlet structure or spillway(i.e., the elevation of the permanent pool). The normal water level is typically identified by the lowest edge of terrestrial vegetation.

Perennial Stream means a well-defined channel that contains water year round during a year of normal rainfall with the aquatic bed located below the perched or seasonal high water table for most of the year. Groundwater is the primary source of water for a perennial stream. But it also carries stormwater.

Protected area means the area adjoining and upstream of the critical area of WS-IV watersheds. The boundaries of the protected area are defined as within five miles of and draining to the intake located directly in the stream or river or to the ridge line of the watershed.

Redevelopment. 21 Any land-disturbing activity that does not result in a net increase in builtupon area and that provides greater or equal stormwater control to that of the previous development.

Residential Development. Buildings for residence such as attached and detached singlefamily dwellings, apartment complexes, condominiums, townhouses, cottages, etc. and their associated outbuildings such as garages, storage buildings, gazebos, etc. and customary home occupations.

Single Family Residential. Any development where: 1) no building contains more than one dwelling unit, 2) every dwelling unit is on a separate lot, and 3) where no lot contains more than one dwelling unit.

Stormwater Control Measure (SCM) is also known as Best Management Practice (BMP)²² means a permanent structural device that is designed, constructed, and maintained to remove pollutants from stormwater runoff by promoting settling or filtration; or to mimic the natural hydrologic cycle by promoting infiltration, evapo-transpiration, post filtering discharge, reuse of stormwater or a combination thereof.

Street (Road). A right-of-way for vehicular traffic which affords the principal means of

¹⁸ 15A NCAC 02b.0621 (17) ¹⁹ 15A NCAC 02B. 0610 (28)

²⁰ 15A NCAC 02B.0610 (30)

²¹ G.S. § 143-214.7 (a1)(2)

²² 15A NCAC 02B.0610 (36) and 15A NCAC 02H. 1002

access to abutting properties.

Structure. Anything constructed or erected, including but not limited to buildings, which requires location on the land or attachment to something having permanent location on the land.

Qualified Individual. A person certified to perform stream determinations by completing and passing he Surface Water Identification Training and Certification (SWITC) course offered by the N.C. Div. of Water Resources at N.C. State University.

Ten (10) Year Storm or Ten-year Storm Intensity²³. The maximum rate of rainfall of a duration equivalent to the time of concentration expected, on the average, once in every ten years. Ten-year storm intensities are estimated by the National Oceanic and Atmospheric Administration Precipitation Frequency Data Server (PFDS), which is incorporated herein by reference, including subsequent amendments and additions. It may be accessed at no cost at http://hdsc.nws.noaa.gov/hdsc/pfds/.

Toxic Substance. Any substance or combination of substances (including disease causing agents), which after discharge and upon exposure, ingestion, inhalation, or assimilation into any organism, either directly from the environment or indirectly by ingestion through food chains, has the potential to cause death, disease, behavioral abnormalities, cancer, genetic mutations, physiological malfunctions (including malfunctions or suppression in reproduction or growth) or physical deformities in such organisms or their off spring or other adverse health effects.

Vegetated Filter Strip²⁴ A vegetated conveyance that (i) is graded with a uniform transverse slope of 8% or less; (ii) the pH, compaction and other attributes of the first 12 inches of soil shall be adjusted as necessary to promote the establishment and growth of plants.; and (iii) the vegetated conveyance is planted with non-clumping, deep-rooted grass sod; and (iv) has soils that are stabilized with temporary means such as straw or matting until the permanent vegetation has taken root of the runoff is directed elsewhere until vegetation is established.

Vegetated Conveyance²⁵ means a permanent designed waterway lined with vegetation that is used to convey stormwater runoff at a non-erosive e velocity within or away from a developed area.

Vegetated Setback²⁶ (Buffer) means an area of natural or established vegetation adjacent to surface waters through which stormwater runoff flows in a diffuse manner to protect surface waters from degradation due to development activities.

Water Dependent Structure. Any structure for which the use requires access to or proximity

²³ 15A NCAC o2H.1002 (50)

²⁴ 15A NCAC 02H.1059 (10)

²⁵ 15A NCAC 02H.1002 (52)

²⁶ 15A NCAC 02H.1002 (51)

to or citing within surface waters to fulfill its basic purpose, such as boat ramps, boat houses, docks and bulkheads. Ancillary facilities such as restaurants, outlets for boat supplies, parking lots and commercial boat storage areas are not water dependent structures.

Watershed. The entire land area contributing surface drainage to a specific point (e.g. the water supply intake.)

Watershed Administrator. The Zoning Administrator of the Town who is the official responsible for administration and enforcement of this ordinance.

(f) Permits.

- (1) Zoning compliance permit / Watershed protection permit. ²⁷
 - a. Except where either (i) a single family residence is constructed on a lot deeded prior to Dec. 4, 2009, or (ii) An Erosion and Sedimentation Control permit is not required, no building or built-upon area shall be erected, moved, enlarged or structurally altered, nor shall any zoning compliance permit ²⁸ be issued nor shall any change in the use of any building or land be made until a the information required by this Section has been received by the Zoning Administrator and a watershed protection permit has been issued. No watershed protection permit shall be issued except in conformity with the provisions of this ordinance. This permit shall be filed with the Town and shall expire at the end of 24²⁹ months if not used, or if a building permit is not obtained.
 - b. Watershed protection permit applications shall be filed with the Zoning Administrator. The application shall include a completed application form and supporting documentation deemed necessary by the Town.
 - c. Prior to issuing a Watershed Protection Permit, the Zoning Administrator may consult with qualified personnel for assistance to determine if the application meets the requirements of this ordinance.³⁰
- (2) Building permit required. Except where provided elsewhere in this article, no building permit required under the state building code shall be issued for any activity for which a watershed permit is required until such permit has been issued. 31

 $^{^{\}rm 27}$ This will need to be revised to follow Johnston County's procedure. Depends on the Interlocal Agreement.

Note to DEQ: Town does not issue building permits. Johnston County issues building permits. Zoning compliance permits are required before building permits can be issued.

²⁹ NC Chap 160D requires 24 months.

Model Ordinance Section 308

Model Ordinance Section 309. Of course, Town does not issue building permits.

- (3) Watershed occupancy permit.
 - a. Prior to the occupancy or use of a building erected, altered or moved and/or prior to the change of use of any building or land, the Zoning Administrator shall issue a watershed protection occupancy permit certifying that all requirements of this article have been met.
 - b. If the watershed protection occupancy permit is denied, the Zoning Administrator shall notify the applicant in writing stating the reasons for denial.
- (g) Occupied lots. This category consists of lots occupied for residential purposes at the time of the adoption of the ordinance from which this article is derived. These lots may continue to be used, provided that whenever two or more adjoining lots of record, one of which is occupied, are in single ownership at any time after Dec. 4, 2009, and such lots individually or together have less area than the minimum requirements for residential purposes specified in this article, such lots shall be combined to create lots which meet the minimum size requirements or which minimize the degree of nonconformity. The undeveloped lot may not be developed unless and until it complies with this ordinance.
- (h) *Industrial use of land.* This category consists of existing industrial uses and/or the storage of hazardous or toxic materials where a spill containment plan is not implemented and where such use of the land is not permitted to be established in the watershed area. Such existing uses may be continued except as provided for in subsection (i)(1) a. 4 of this section.
- (i) Permitted uses.
 - (1) The following uses are permitted as principal uses in the watershed protection overlay district provided such uses are also permitted in the underlying zoning district and providing that the requirements stated in this section and this zoning and subdivision ordinances.
 - a. Protected area.
 - 1. Agriculture, subject to the provisions of the Food Security Act of 1985 and the Food, Agricultural, Conservation and Trade Act of 1990.
 - 2. Silviculture, subject to the provisions of the Forest Practices Guidelines Related to Water Quality (15 NCAC 1I .0101.0209).
 - 3. Residential development as permitted in the underlying zoning district provided that it meets the standards of the WSWOD.
 - 4. Nonresidential development as permitted in the underlying zoning district provided that it meets the standards of the WSWOD.
 - b. Density and Built-upon (impervious) limits in the protected area.

- Where the maximum allowed built-upon area conflicts with another 1. ordinance or standard, the stricter standard, or lower maximum allowed built-upon area applies. For example, where either (i) the Johnston County Stormwater Ordinance as adopted by reference by the Town, or (ii) Zoning Ordinance section 30-352 apply, then lower built-upon area requirements apply.
- 2. Single family residential uses shall develop at a maximum of two (2) dwelling units per acre (2 du/ac) or 20,000 square feet per lot, excluding street rights-of-way. In the alternative, the maximum built upon area shall be 24%.
- 3. All other residential and non-residential development shall not exceed twenty-four percent (24%) built-upon area. For projects without a curb and gutter street system, development shall not exceed thirty-six (36%) percent built-upon area.
- Cluster Development ³² is allowed on a project-by-project basis of all of 4. the following conditions are met:
 - Overall density shall meet the requirements of 1 or 2 above; and a.
 - Buffers (vegetated setbacks) shall meet the requirements of (i)(1) c b. below; and
 - Built-upon areas are designed and located to minimize stormwater c. runoff impacts to receiving waters, minimize concentrated stormwater flow, maximize the use of sheet flow through vegetated areas and maximize the flow length through vegetated areas; and
 - d. Areas of concentrated development shall be located in upland areas and away from surface waters and drainage ways. In determining whether these criteria have been met the approving body shall take into account site-specific factors such as topography, site layout and the protection of water quality; and
 - The remainder of the tract shall remain in a vegetated or natural state; e. and
 - f. The area in a vegetated state shall be conveyed to a home owner's association, the Town for preservation as a park or greenway, a conservation organization, or placed in a permanent conservation or farmland preservation easement; and

³² 15A NCAC 02B.0624 (8) [June 2020]

- g. A maintenance agreement for the vegetated or natural area shall be recorded with the Johnston County Register of Deeds and incorporated into any restrictive covenants for the development; and
- h. Vegetated swales and/or "curb outlet systems" as described in subsection (j) will be provided.
- 5. Density Averaging. An applicant may average development density on up to two noncontiguous properties for purposes of achieving compliance with the water supply watershed development standards if all of the following circumstances exist:
 - a. The properties are within the Archer Lodge water supply watershed.
 - b. Overall project density meets applicable density or stormwater control requirements of this section.
 - c. Vegetated setbacks on both properties meet the minimum requirements in section (j) below.
 - d. Built upon areas are designed and located to minimize stormwater runoff impact to the receiving waters, minimize concentrated stormwater flow, maximize the use of sheet flow through vegetated areas, and maximize the flow length through vegetated areas.
 - e. Areas of concentrated density development are located in upland areas and, to the maximum extent practicable, away from surface waters and drainage ways.
 - f. The property or portions of the properties that are not being developed will remain in a vegetated or natural state and will be managed by a homeowners' association as common area, conveyed to the Town or County as a park or greenway, or placed under a permanent conservation or farmland preservation A metes and bounds description of the areas to remain vegetated and limits on use shall be recorded on the subdivision plat, in homeowners' covenants, and on individual deed and shall be irrevocable.
 - g. Development permitted under density averaging shall transport stormwater runoff by vegetated conveyances to the maximum extent practicable.
 - h. A special use permit shall be obtained from the Town Council to ensure that both properties considered together meet the standards of the watershed ordinance and that potential owners have record of how the watershed regulations were applied to the properties.

- 6. Low-Density Option. Sub-sections 1, 2 or 3 are collectively known as the "low density option". No "high density option" is permitted.
- 7. Calculation of Density.
 - a. Project Density is calculated as the Total Built Upon Area divided by the Total Project Area;
 - b. A project with "existing development" may calculate Project Density as in 6.a. or as:

(Total Built-Upon Area – Existing Built-Upon Area)

(Total Project Area – Existing Built-Upon Area)

(Total Project Area – Existing Built-Upon Area)

- c. When there is a net increase of built-upon area, only the area of net increase is subject to the Water Supply Watershed Overlay District standards.
- d. Where existing development is replaced with a new built-upon area, and there is a net increase of built-upon area, only the area of net increase is subject to the Water Supply Watershed Overlay Standards.
- (j) Vegetated setback (Landscaped buffer area) required³⁴.
 - (1) *Vegetated setback. (buffer)*
 - a. Vegetated setbacks or buffers are required along all perennial streams and waterbodies as indicated on either the most recent versions of the U.S. Geological Survey (USGS) 1:24,000 scale (7.5 minute) quadrangle topographic maps, which are incorporated herein by reference and are available online at no cost at http://www.usgs.gov/pubprod; or another map developed by the Town, County or N.C. DEQ and approved by the Environmental Management Commission.
 - b. Where USGS topographic maps do not distinguish between perennial and intermittent streams, an on-site stream determination may be performed by an individual qualified to perform such stream determinations. "Qualified Individual" is defined in section (e) definitions above.
 - c. Width of Vegetated Setback / Buffers: The following minimum widths apply from both banks or sides of any surface waters, including perennial streams, lakes, ponds, reservoirs measured horizontally from the normal pool elevation of impoundments or the top of bank of streams: (i) Thirty (30) feet for all Low

 $^{^{}m 33}$ This is supposed to be an equation. I'm trying to get it to come out right.

³⁴ 15A NCAC 02B.0624 (11) Vegetated Setbacks

- Density Option development; (ii) Ten (10) feet OR equivalent as determined under 15A NCAC 02B.0622 for agricultural activities.
- (2) Uses of the Vegetated Setback/Buffer: The Vegetated Setbacks may be cleared or graded but shall be replanted and maintained in grass or other vegetation. No new built-upon area shall be allowed except for the following uses where it is not practical to locate them elsewhere:
 - a. Publicly funded linear projects such as roads, green ways and sidewalks;
 - b. Water dependent structures such a docks;
 - c. Minimal footprint uses such as poles, signs, utility appurtenances and security lights. Built-upon area associated with these uses shall be minimized and the channelization of run-off shall be avoided.
 - d. Artificial stream bank and shoreline stabilization is not subject to the requirements of this sub-section.
 - e. Divisions of property into lots that are exempt from the Town's subdivision ordinance shall implement the requirements of this sub-section to the maximum extent practicable considering site-specific factors including technical and cost considerations as well as water-quality protection.
- (k) Additional requirements for Low Density Projects. Low-density projects shall comply with all of the following:
 - (1) Vegetated Conveyances. Stormwater runoff from any development shall be released to vegetated areas as dispersed flow or transported by vegetated conveyances to the maximum extent practicable. In determining whether this criteria has been met the Zoning Administrator shall take into account site specific factors such as topography and site layout as well as water-quality protection. Vegetated conveyances shall be maintained in perpetuity to ensure that they function as designed. Vegetated conveyances meeting the following criteria satisfy the requirements of this sub-section:
 - a. Side slopes shall be no steeper than 3:1 (Horizontal to vertical) unless it is demonstrated to the Zoning Administrator that the soils and vegetation will remain stable in perpetuity based on engineering calculations and on-site soil investigation; and
 - b. The conveyance is designed so that it does not erode during peak flow from the 10-year storm as demonstrated by engineering calculations submitted with the application for a Watershed Permit by a NC Registered Professional Engineer.
 - (2) *Curb Outlet Systems*. Instead of vegetated conveyances, low density projects have the option to use curb and gutter with outlets to convey stormwater to grassed swales or vegetated areas. The requirements for curb outlet systems are as follows:

- a. The curb outlets are located so that the swale or vegetated area can carry the peak. flow from the 10-year storm at a non-erosive velocity.
- b. The longitudinal slope of the swale or vegetated area shall not exceed five percent except where not practical due to physical constraints. In these cases, devices to slow the rate of runoff and encourage infiltration to reduce pollutant delivery to surface waters shall be provided.
- c. The swale's cross-section shall be trapezoidal with a minimum bottom width of two feet.
- d. The side slope of the swale or vegetated area shall be no steeped than 3:1 (horizontal: vertical).
- e. Low density developments may use treatment swales designed in accordance with 15A N.C. Administrative Code 02H.1061.
- (1) Establishment of the watershed review board. The Board of Adjustment shall serve as the watershed review board as it is required in 15A N.C. Administrative Code 02B.0623 (5) (March 1, 2019).
- (m) *Variances*. The Board of Adjustment shall hear and decide on petitions, requesting a variance from the standards of the water supply watershed protection overly district following the procedures and standards of Chapter 2, Divisions 2, 3 and 4 with the following exceptions:
 - (1) Instead of the standards of section 2-47 (e) the Board of Adjustment shall use the following standards ³⁵:
 - a. There are difficulties or hardships that prevent compliance with this section (30-131); and
 - b. The variance is in accordance with the general purposes and intent of Section 30-131; and
 - c. If the variance is granted, the proposed development / project will ensure equal or better protection of the waters of the State than the requirements of this section, 30-131 and that the stormwater controls will function in perpetuity.
 - (2) Procedural changes to Chapter 2, Division 4, Quasi-Judicial Hearing Procedures. In addition to the requirements of Chapter 2, Division 4, the following procedures will be followed:
 - a. *Minor Watershed Variances*. A thirty-day comment period shall run following the submission of a completed variance application and before the Board of Adjustment hears the application. The Zoning Administrator shall notify all other

.

³⁵ 15A NCAC 02B.0623 (5)

local governments having jurisdiction in the watershed and all entities using the water supply for consumption. ³⁶

- b. *Major Watershed Variances*. A decision by the Board of Adjustment to approve a major watershed variance shall be preliminary only. The Zoning Administrator shall within 30 days of the board's decision, forward a record of the hearing, findings, and conclusions of law to the state environmental management commission for review and final decision. The preliminary record of the hearing shall include:
 - 1. The variance application;
 - 2. The hearing notices;
 - 3. The evidence presented;
 - 4. Motions, offers of proof, objections to evidence, and rulings on them;
 - 5. Proposed findings and expectations;
 - 6. The proposed decision, including all conditions proposed to be added to the permit.

If the Environmental Management Commission approves the decision of the Board of Adjustment or approves the decision with conditions, then the Commission shall prepare decision that authorizes the Board of Adjustment to issue a final decision including any conditions added by the Commission.

If the Environmental Management Commission denies the major watershed variance, the Commission shall send the decision to the Board of Adjustment for final action in accord with the Commission's order.

- (n) Additional Duties of the Zoning Administrator ³⁷: The Zoning Administrator shall maintain the following records and furnish a copy to the Water Resources Division upon request:
 - (1) A copy of the records of all variance applications heard by the Board of Adjustment, including the record of decision; and
 - (2) A description of all projects for which the Board of Adjustment has granted a variance; and
 - (3) Records of inspections of Stormwater Control Measures.

³⁶ This means just the Neuse River Basin watershed in which Archer Lodge is located, which includes Clayton, Johnston County and Wilson's Mills, Benson, Four Oaks, Kenly, Micro, Pine Level, Princeton, Selma, Smithfield.

In the UDO, combine with other duties of the Zoning Administrator.

(o) OPERATION and MAINTENANCE of Stormwater Control Measures (SCM)

When engineered stormwater control measures are required, they shall be operated and maintained according to the provisions of 15A NCAC 02B.0623 (7), as amended, which is incorporated herein by reference as if fully set out herein.



TOWN OF ARCHER LODGE

14094 Buffalo Road Archer Lodge, NC 27527 *Main:* 919-359-9727 *Fax:* 919-359-3333

Mayor: Matthew B. Mulhollem

Clyde B. Castleberry

Mayor Pro Tem

Teresa M. Bruton

J. Mark Jackson

James (Jim) Purvis, III

Mark B. Wilson

To: Town Council

From: Julie Maybee, Town Planner

Date: January 4, 2021

Cc: Town Administrator, Finance Officer/Town Clerk, Deputy Clerk, Town Attorney, Brough

Law Firm, CodeWright Planners

Re: Agenda Item 5.b. – Discussion and Consideration of Setting a Public Hearing at the

February 1, 2021 Regular Town Council Meeting for the Text Amendments

(Amend Chapter in its Entirety)

Summary: Recent changes in North Carolina General Statutes have necessitated amendments to the Code of Ordinances, Archer Lodge, NC, Chapter 14, Flood Damage Prevention.

Milton Carpenter, CFM, NFIP Planner, NC Department of Public Safety, Risk Management/EM has reviewed the Town of Archer Lodge Ordinance #AL2018-06-1; and recommended revisions. Said ordinance section revisions are shown in yellow highlight, and text changes are in blue font.

On January 20, 2021, the Planning Board will deliberate and tentatively make findings of fact and forward recommendation on the proposed revisions with Council's concurrence.

Background Information: The Town Council Approved Ordinance# AL2018-06-1 on June 14, 2018. It amended the Flood Damage Prevention Ordinance enacted by Council on November 8, 2010.

Ordinance provisions must be approved and enforced in accordance with applicable guidelines for the Town to be eligible to participate in the National Flood Insurance Program (NFIP). NFIP provides flood insurance to property owners, renters and businesses; and having this coverage helps them recover faster when floodwaters recede. Flood insurance is available to anyone living in one of the 23,000 participating NFIP communities.

The Town of Archer Lodge is a participating NFIP community.

Requested Town Council Action:

Staff respectfully requests that the Town Council:

- a) Consider the proposed amendments, as referenced herein; and
- b) Set a public hearing at the February 1, 2021 Regular Town Council Meeting for the Text Amendments to the Code of Ordinances, Archer Lodge, NC, Chapter 14, Flood Damage Prevention

Attachments: Text Amendments to the Code of Ordinances, Archer Lodge, NC, Chapter 14.

Flood Damage Prevention.

Note: Municode format changes from the adopted Ordinance# AL2018-06-1 are shown

in green font and gray highlight. Recommended section revisions are shown in

yellow highlight and text changes are in blue font.

<u>Chapter 14</u> <u>FLOOD DAMAGE PREVENTION ORDINANCE</u>

Non-Coastal Phase

ARTICLE 1 I. STATUT	TORY AUTHORIZATION	
SECTION 14-1.	AUTHORITY	3
SECTION 14-2.	FINDINGS OF FACT	3
SECTION 14-3.	STATEMENT OF PURPOSE	3
SECTION 14-4.	OBJECTIVES	3
ARTICLE 2 II. DEFIN	ITIONS	
SECTION 14-5.	DEFINITIONS	4
ARTICLE 3 III. GENE	RAL PROVISIONS	
SECTION 14-6.	LANDS TO WHICH THIS ORDINANCE APPLIES	10
SECTION 14-7.	BASIS FOR ESTABLISHING THE SPECIAL FLOOD HAZARD AREAS	10
SECTION 14-8.	ESTABLISHMENT OF FLOODPLAIN DEVELOPMENT PERMIT	10
SECTION 14-9.	COMPLIANCE	10
SECTION 14-10.	ABROGATION AND GREATER RESTRICTIONS	10
SECTION 14-11.	INTERPRETATION	10
SECTION 14-12.	WARNING AND DISCLAIMER OF LIABILITY	11
SECTION 14-13.	PENALTIES FOR VIOLATION	11
ARTICLE 4 IV. ADMI	NISTRATION	
SECTION 14-45.	DESIGNATION OF FLOOD PLAIN ADMINISTRATOR	11
SECTION 14-46.	FLOODPLAIN DEVELOPMENT APPLICATION, PERMIT AND	
	CERTIFICATION REQUIREMENTS	11
SECTION 14-47.	DUTIES AND RESPONSIBILITIES OF THE FLOODPLAIN ADMINISTRATOR	15
SECTION 14-48.	CORRECTIVE PROCEDURES	16
SECTION 14-49.	VARIANCE PROCEDURES	17
ARTICLE 5 V. PROVI	SIONS FOR FLOOD HAZARD REDUCTION	
SECTION 14-72.	GENERAL STANDARDS	19
SECTION 14-73.	SPECIFIC STANDARDS	20
SECTION 14-74.	STANDARDS FOR FLOODPLAINS WITHOUT ESTABLISHED BASE FLOOD ELEVATIONS	24
SECTION 14-75.	STANDARDS FOR RIVERINE FLOODPLAINS WITH BASE FLOOD ELEVATIONS BU WITHOUT ESTABLISHED FLOODWAYS OR NON-ENCROAHMENT AREAS	
SECTION 14-76.	FLOODWAYS AND NON-ENCROAHMENT AREAS	25
SECTION 14-77.	STANDARDS FOR AREAS OF SHALLOW FLOODING (ZONE AO)	25
SECTION 14-78.	STANDARDS FOR AREAS OF SHALLOW FLOODING (ZONE AH)	

ARTICLE 6VI. LEGAL STATUS PROVISIONS

SECTION 14-86.	EFFECT ON RIGHTS AND LIABILITIES UNDER THE EXISTING FLOOD DAMAGE	
	PREVENTION ORDINANCE	26
SECTION 14-87.	EFFECT UPON OUTSTANDING FLOODPLAIN DEVELOPMENT PERMITS	26
SECTION 14-88.	SEVERABILITY	20
SECTION 14-89.	EFFECTIVE DATE	20
SECTION 14-90	ADOPTION CERTIFICATION	27

FLOOD DAMAGE PREVENTION ORDINANCE

Non-Coastal Regular Phase

ARTICLE-1 . - STATUTORY AUTHORIZATION, FINDINGS OF FACT, PURPOSE AND OBJECTIVES.

Sec. 14-1. - Statutory authorization Authority.

The Legislature of the State of North Carolina has in Part 6, Article 21 of Chapter 143; Parts 3, 5, and 8 of Article 6 19 of Chapter 160 153A; and Article 8 of Chapter 160A; and Article 7, 9, and 11 of Chapter 160D (Effective July 1, 2021) of the North Carolina General Statutes, delegated to local governmental units the responsibility to adopt regulations designed to promote the public health, safety, and general welfare.

Therefore, the town council of the Town of Archer Lodge, North Carolina, does ordain as follows:

Sec. 14-2. - Findings of fact.

- (a) The flood prone areas within the jurisdiction of Archer Lodge are subject to periodic inundation which results in loss of life, property, health and safety hazards, disruption of commerce and governmental services, extraordinary public expenditures of flood protection and relief, and impairment of the tax base, all of which adversely affect the public health, safety, and general welfare.
- (b) These flood losses are caused by the cumulative effect of obstructions in floodplains causing increases in flood heights and velocities and by the occupancy in flood prone areas of uses vulnerable to floods or other hazards.

Sec. 14-3. - Statement of purpose.

It is the purpose of this ordinance to promote public health, safety, and general welfare and to minimize public and private losses due to flood conditions within flood prone areas by provisions designed to:

- (1) Restrict or prohibit uses that are dangerous to health, safety, and property due to water or erosion hazards or that result in damaging increases in erosion, flood heights or velocities;
- (2) Require that uses vulnerable to floods, including facilities that serve such uses, be protected against flood damage at the time of initial construction;
- (3) Control the alteration of natural floodplains, stream channels, and natural protective barriers, which are involved in the accommodation of floodwaters;
- (4) Control filling, grading, dredging, and all other development that may increase erosion or flood damage; and
- (5) Prevent or regulate the construction of flood barriers that will unnaturally divert flood waters, or which may increase flood hazards to other lands.

Sec. 14-4. - Objectives.

The objectives of this ordinance are to:

- (1) Protect human life, safety, and health;
- (2) Minimize expenditure of public money for costly flood control projects;
- (3) Minimize the need for rescue and relief efforts associated with flooding and generally undertaken at the expense of the

general public;

- (4) Minimize prolonged business losses and interruptions;
- (5) Minimize damage to public facilities and utilities (i.e. water and gas mains, electric, telephone, cable and sewer lines, streets, and bridges) that are located in flood prone areas;
- (6) Minimize damage to private and public property due to flooding;
- (7) Make flood insurance available to the community through the National Flood Insurance Program;
- (8) Maintain the natural and beneficial functions of floodplains;
- (9) Help maintain a stable tax base by providing for the sound use and development of flood prone areas; and
- (10) Ensure that potential buyers are aware that property is in a Special Flood Hazard Area.

ARTICLE 2 II. - DEFINITIONS.

Sec. 14-5. - Definitions.

Unless specifically defined below, words or phrases used in this ordinance shall be interpreted so as to give them the meaning they have in common usage and to give this ordinance it's most reasonable application.

"Accessory Structure (Appurtenant Structure)" means a structure located on the same parcel of property as the principal structure and the use of which is incidental to the use of the principal structure. Garages, carports and storage sheds are common urban accessory structures. Pole barns, hay sheds and the like qualify as accessory structures on farms, and may or may not be located on the same parcel as the farm dwelling or shop building.

"Addition (to an existing building)" means an extension or increase in the floor area or height of a building or structure.

"<u>Alteration of a watercourse</u>" means a dam, impoundment, channel relocation, change in channel alignment, channelization, or change in cross-sectional area of the channel or the channel capacity, or any other form of modification which may alter, impede, retard or change the direction and/or velocity of the riverine flow of water during conditions of the base flood.

"Appeal" means a request for a review of the Floodplain Administrator's interpretation of any provision of this ordinance.

"Area of Shallow Flooding" means a designated Zone AO or AH on a community's Flood Insurance Rate Map (FIRM) with base flood depths determined to be from one (1) to three (3) feet. These areas are located where a clearly defined channel does not exist, where the path of flooding is unpredictable and indeterminate, and where velocity flow may be evident.

"Area of Special Flood Hazard" see "Special Flood Hazard Area (SFHA)".

"Base Flood" means the flood having a one (1) percent chance of being equaled or exceeded in any given year.

"Base Flood Elevation (BFE)" means a determination of the water surface elevations of the base flood as published in the Flood Insurance Study. When the BFE has not been provided in a "Special Flood Hazard Area", it may be obtained from engineering studies available from a Federal, State, or other source using FEMA approved engineering methodologies. This elevation, when combined with the "Freeboard", establishes the "Regulatory Flood Protection Elevation".

"Basement" means any area of the building having its floor subgrade (below ground level) on all sides.

"Building" see "Structure".

"Chemical Storage Facility" means a building, portion of a building, or exterior area adjacent to a building used for the storage of any chemical or chemically reactive products.

- "Design Flood": See "Regulatory Flood Protection Elevation."
- "<u>Development</u>" means any man-made change to improved or unimproved real estate, including, but not limited to, buildings or other structures, mining, dredging, filling, grading, paving, excavation or drilling operations, or storage of equipment or materials.
- "<u>Development Activity</u>" means any activity defined as Development which will necessitate a Floodplain Development Permit. This includes buildings, structures, and non-structural items, including (but not limited to) fill, bulkheads, piers, pools, docks, landings, ramps, and erosion control/stabilization measures.
- "<u>Digital Flood Insurance Rate Map (DFIRM)</u>" means the digital official map of a community, issued by the Federal Emergency Management Agency (FEMA), on which both the Special Flood Hazard Areas and the risk premium zones applicable to the community are delineated.
- "<u>Disposal</u>" means, as defined in NCGS 130A-290(a)(6), the discharge, deposit, injection, dumping, spilling, leaking, or placing of any solid waste into or on any land or water so that the solid waste or any constituent part of the solid waste may enter the environment or be emitted into the air or discharged into any waters, including groundwaters.
- "Elevated Building" means a non-basement building which has its lowest elevated floor raised above ground level by foundation walls, shear walls, posts, piers, pilings, or columns.
- "Encroachment" means the advance or infringement of uses, fill, excavation, buildings, structures or development into a special flood hazard area, which may impede or alter the flow capacity of a floodplain.
- "Existing building and existing structure" means any building and/or structure for which the "start of construction" commenced before November 8, 2010 December 2, 2005, the effective date of the initial FIRM.
- "Existing Manufactured Home Park or Manufactured Home Subdivision" means a manufactured home park or subdivision for which the construction of facilities for servicing the lots on which the manufactured homes are to be affixed (including, at a minimum, the installation of utilities, the construction of streets, and either final site grading or the pouring of concrete pads) was completed before November 8, 2010, the initial effective date of the floodplain management regulations adopted by the community.
- "Flood" or "Flooding" means a general and temporary condition of partial or complete inundation of normally dry land areas from:
 - (1) The overflow of inland or tidal waters; and/or
 - (2) The unusual and rapid accumulation or runoff of surface waters from any source.
- "Flood Boundary and Floodway Map (FBFM)" means an official map of a community, issued by the FEMA, on which the Special Flood Hazard Areas and the floodways are delineated. This official map is a supplement to and shall be used in conjunction with the Flood Insurance Rate Map (FIRM).
- "Flood Hazard Boundary Map (FHBM)" means an official map of a community, issued by the FEMA, where the boundaries of the Special Flood Hazard Areas have been defined as Zone A.
- "Flood Insurance" means the insurance coverage provided under the National Flood Insurance Program.
- "Flood Insurance Rate Map (FIRM)" means an official map of a community, issued by the FEMA, on which both the Special Flood Hazard Areas and the risk premium zones applicable to the community are delineated. (see also DFIRM)
- "Flood Insurance Study (FIS)" means an examination, evaluation, and determination of flood hazards, corresponding water surface elevations (if appropriate), flood hazard risk zones, and other flood data in a community issued by the FEMA. The Flood Insurance Study report includes Flood Insurance Rate Maps (FIRMs) and Flood Boundary and Floodway Maps (FBFMs), if published.
- "Flood Prone Area" see "Floodplain"
- "Flood Zone" means a geographical area shown on a Flood Hazard Boundary Map or Flood Insurance Rate Map that reflects

the severity or type of flooding in the area.

"Floodplain" means any land area susceptible to being inundated by water from any source.

"Floodplain Administrator" is the individual appointed to administer and enforce the floodplain management regulations.

"Floodplain Development Permit" means any type of permit that is required in conformance with the provisions of this ordinance, prior to the commencement of any development activity.

"Floodplain Management" means the operation of an overall program of corrective and preventive measures for reducing flood damage and preserving and enhancing, where possible, natural resources in the floodplain, including, but not limited to, emergency preparedness plans, flood control works, floodplain management regulations, and open space plans.

"<u>Floodplain Management Regulations</u>" means this ordinance and other zoning ordinances, subdivision regulations, building codes, health regulations, special purpose ordinances, and other applications of police power. This term describes federal, state or local regulations, in any combination thereof, which provide standards for preventing and reducing flood loss and damage.

"Floodproofing" means any combination of structural and nonstructural additions, changes, or adjustments to structures which reduce or eliminate flood damage to real estate or improved real property, water and sanitation facilities, structures, and their contents.

"Flood-resistant material" means any building product [material, component or system] capable of withstanding direct and prolonged contact (minimum 72 hours) with floodwaters without sustaining damage that requires more than low-cost cosmetic repair. Any material that is water-soluble or is not resistant to alkali or acid in water, including normal adhesives for above-grade use, is not flood-resistant. Pressure-treated lumber or naturally decay-resistant lumbers are acceptable flooring materials. Sheet-type flooring coverings that restrict evaporation from below and materials that are impervious, but dimensionally unstable are not acceptable. Materials that absorb or retain water excessively after submergence are not flood-resistant. Please refer to Technical Bulletin 2, Flood Damage-Resistant Materials Requirements, and available from the FEMA. Class 4 and 5 materials, referenced therein, are acceptable flood-resistant materials.

"Floodway" means the channel of a river or other watercourse, including the area above a bridge or culvert when applicable, and the adjacent land areas that must be reserved in order to discharge the base flood without cumulatively increasing the water surface elevation more than one (1) foot.

"Floodway encroachment analysis" means an engineering analysis of the impact that a proposed encroachment into a floodway or non-encroachment area is expected to have on the floodway boundaries and flood levels during the occurrence of the base flood discharge. The evaluation shall be prepared by a qualified North Carolina licensed engineer using standard engineering methods and models.

"Freeboard" means the height added to the BFE to account for the many unknown factors that could contribute to flood heights greater than the height calculated for a selected size flood and floodway conditions, such as wave action, blockage of bridge or culvert openings, and the hydrological effect of urbanization of the watershed. The BFE plus the freeboard establishes the "Regulatory Flood Protection Elevation".

"<u>Functionally Dependent Facility</u>" means a facility which cannot be used for its intended purpose unless it is located in proximity to water, limited to a docking or port facility necessary for the loading and unloading of cargo or passengers, shipbuilding, or ship repair. The term does not include long-term storage, manufacture, sales, or service facilities.

"Hazardous Waste Management Facility" means, as defined in NCGS 130A, Article 9, a facility for the collection, storage, processing, treatment, recycling, recovery, or disposal of hazardous waste.

"Highest Adjacent Grade (HAG)" means the highest natural elevation of the ground surface, prior to construction, immediately next to the proposed walls of the structure.

"Historic Structure" means any structure that is:

(1) Listed individually in the National Register of Historic Places (a listing maintained by the US Department of Interior) or preliminarily determined by the Secretary of Interior as meeting the requirements for individual listing

- on the National Register;
- (2) Certified or preliminarily determined by the Secretary of Interior as contributing to the historical significance of a registered historic district or a district preliminarily determined by the Secretary to qualify as a registered historic district;
- (3) Individually listed on a local inventory of historic landmarks in communities with a "Certified Local Government (CLG) Program"; or
- (4) Certified as contributing to the historical significance of a historic district designated by a community with a "Certified Local Government (CLG) Program."

Certified Local Government (CLG) Programs are approved by the US Department of the Interior in cooperation with the North Carolina Department of Cultural Resources through the State Historic Preservation Officer as having met the requirements of the National Historic Preservation Act of 1966 as amended in 1980.

"<u>Letter of Map Change (LOMC)</u>" means an official determination issued by FEMA that amends or revises an effective Flood Insurance Rate Map or Flood Insurance Study. Letters of Map Change include:

- (1) Letter of Map Amendment (LOMA): An official amendment, by letter, to an effective National Flood Insurance Program map. A LOMA is based on technical data showing that a property had been inadvertently mapped as being in the floodplain but is actually on natural high ground above the base flood elevation. A LOMA amends the current effective Flood Insurance Rate Map and establishes that a specific property, portion of a property, or structure is not located in a special flood hazard area.
- (2) Letter of Map Revision (LOMR): A revision based on technical data that may show changes to flood zones, flood elevations, special flood hazard area boundaries and floodway delineations, and other planimetric features.
- (3) Letter of Map Revision Based on Fill (LOMR-F): A determination that a structure or parcel of land has been elevated by fill above the BFE and is, therefore, no longer located within the special flood hazard area. In order to qualify for this determination, the fill must have been permitted and placed in accordance with the community's floodplain management regulations.
- (4) Conditional Letter of Map Revision (CLOMR): A formal review and comment as to whether a proposed project complies with the minimum NFIP requirements for such projects with respect to delineation of special flood hazard areas. A CLOMR does not revise the effective Flood Insurance Rate Map or Flood Insurance Study; upon submission and approval of certified as-built documentation, a Letter of Map Revision may be issued by FEMA to revise the effective FIRM.

"<u>Light Duty Truck</u>" means any motor vehicle rated at 8,500 pounds Gross Vehicular Weight Rating or less which has a vehicular curb weight of 6,000 pounds or less and which has a basic vehicle frontal area of 45 square feet or less as defined in 40 CFR 86.082-2 and is:

- (1) Designed primarily for purposes of transportation of property or is a derivation of such a vehicle, or
- (2) Designed primarily for transportation of persons and has a capacity of more than 12 persons; or
- (3) Available with special features enabling off-street or off-highway operation and use.

"Lowest Adjacent Grade (LAG)" means the lowest elevation of the ground, sidewalk or patio slab immediately next to the building, or deck support, after completion of the building.

"Lowest Floor" means the lowest floor of the lowest enclosed area (including basement). An unfinished or flood resistant enclosure, usable solely for parking of vehicles, building access, or limited storage in an area other than a basement area is not considered a building's lowest floor, provided that such an enclosure is not built so as to render the structure in violation of the applicable non-elevation design requirements of this ordinance.

"Manufactured Home" means a structure, transportable in one or more sections, which is built on a permanent chassis and designed to be used with or without a permanent foundation when connected to the required utilities. The term "manufactured home" does not include a "recreational vehicle".

"Manufactured Home Park or Subdivision" means a parcel (or contiguous parcels) of land divided into two or more manufactured home lots for rent or sale.

"Market Value" means the building value, not including the land value and that of any accessory structures or other improvements on the lot. Market value may be established by independent certified appraisal; replacement cost depreciated

for age of building and quality of construction (Actual Cash Value); or adjusted tax assessed values.

"Map Repository" means the location of the official flood hazard data to be applied for floodplain management. It is a central location in which flood data is stored and managed; in North Carolina, FEMA has recognized that the application of digital flood hazard data products have the same authority as hard copy products. Therefore, the NCEM's Floodplain Managements websites house current and historical flood hazard data. For effective flood hazard data the NC FRIS website(http://FRIS.NC.GOV/FRIS_ is the map repository, and for historical flood hazard data the FloodNC website (http://FLOODNC.GOV/NCFLOOD) is the map repository.

"New Construction" means structures for which the "start of construction" commenced on or after November 8, 2010, the effective date of the initial floodplain management regulations and includes any subsequent improvements to such structures.

"Non-Conversion Agreement" means a document stating that the owner will not convert or alter what has been constructed and approved. Violation of the agreement is considered a violation of the ordinance and, therefore, subject to the same enforcement procedures and penalties. The agreement must be filed with the recorded deed for the property. The agreement must show the clerk's or recorder's stamps and/or notations that the filing has been completed.

"Non-Encroachment Area (NEA)" means the channel of a river or other watercourse, including the area above a bridge or culvert when applicable, and the adjacent land areas that must be reserved in order to discharge the base flood without cumulatively increasing the water surface elevation more than one (1) foot as designated in the Flood Insurance Study report.

"Post-FIRM" means construction or other development for which the "start of construction" occurred on or after, December 2, 2005, the effective date, of the initial Flood Insurance Rate Map.

"Pre-FIRM" means construction or other development for which the "start of construction" occurred before December 2, 2005, the effective date of the initial Flood Insurance Rate Map.

"Principally Above Ground" means that at least 51% of the actual cash value of the structure is above ground.

"<u>Public Safety</u>" and/or "Nuisance" means anything which is injurious to the safety or health of an entire community or neighborhood, or any considerable number of persons, or unlawfully obstructs the free passage or use, in the customary manner, of any navigable lake, or river, bay, stream, canal, or basin.

"Recreational Vehicle (RV)" means a vehicle, which is:

- (1) Built on a single chassis;
- (2) 400 square feet or less when measured at the largest horizontal projection;
- (3) Designed to be self-propelled or permanently towable by a light duty truck;
- (4) Designed primarily not for use as a permanent dwelling, but as temporary living quarters for recreational, camping, travel, or seasonal use, and
- (5) Is fully licensed and ready for highway use.

(for the purpose of this ordinance, "Tiny Homes/Houses" and Park Models that do not meet the items listed above are not considered Recreational Vehicles and should meet the standards of and be permitted as Residential Structures.)

"Reference Level" is the top of the lowest floor for structures within Special Flood Hazard Areas designated as Zones A, AE, AH, AO, A99. The reference level is the bottom of the lowest horizontal structural member of the lowest floor for structures within Special Flood Hazard Areas designated as Zone VE.

"Regulatory Flood Protection Elevation" means the "Base Flood Elevation" plus the "Freeboard". In "Special Flood Hazard Areas" where Base Flood Elevations (BFEs) have been determined, this elevation shall be the BFE plus two feet of freeboard. In "Special Flood Hazard Areas" where no BFE has been established, this elevation shall be at least two feet above the highest adjacent grade.

"Remedy a Violation" means to bring the structure or other development into compliance with state and community floodplain management regulations, or, if this is not possible, to reduce the impacts of its noncompliance. Ways that impacts may be reduced include protecting the structure or other affected development from flood damages, implementing the enforcement provisions of the ordinance or otherwise deterring future similar violations, or reducing federal financial exposure with regard to the structure or other development.

"Riverine" means relating to, formed by, or resembling a river (including tributaries), stream, brook, etc.

"Salvage Yard" means any non-residential property used for the storage, collection, and/or recycling of any type of equipment, and including but not limited to vehicles, appliances and related machinery.

"Solid Waste Disposal Facility" means any facility involved in the disposal of solid waste, as defined in NCGS 130A-290(a)(35).

"Solid Waste Disposal Site" means, as defined in NCGS 130A-290(a)(36), any place at which solid wastes are disposed of by incineration, sanitary landfill, or any other method.

"Special Flood Hazard Area (SFHA)" means the land in the floodplain subject to a one percent (1%) or greater chance of being flooded in any given year, as determined in section 14-7 of this ordinance.

"Start of Construction" includes substantial improvement and means the date the building permit was issued provided the actual start of construction, repair, reconstruction, rehabilitation, addition placement, or other improvement was within 180 days of the permit date. The actual start means either the first placement of permanent construction of a structure on a site, such as the pouring of slab or footings, the installation of piles, the construction of columns, or any work beyond the stage of excavation; or the placement of a manufactured home on a foundation. Permanent construction does not include land preparation, such as clearing, grading, and filling; nor does it include the installation of streets and/or walkways; nor does it include excavation for a basement, footings, piers, or foundations or the erection of temporary forms; nor does it include the installation on the property of accessory buildings, such as garages or sheds not occupied as dwelling units or not part of the main structure. For a substantial improvement, the actual start of construction means the first alteration of any wall, ceiling, floor, or other structural part of the building, whether or not that alteration affects the external dimensions of the building.

"Structure" means a walled and roofed building, a manufactured home, or a gas, liquid, or liquefied gas storage tank that is principally above ground.

"Substantial Damage" means damage of any origin sustained by a structure during any one-year period whereby the cost of restoring the structure to it's before damaged condition would equal or exceed 50 percent of the market value of the structure before the damage occurred. See definition of "substantial improvement".

"Substantial Improvement" means any combination of repairs, reconstruction, rehabilitation, addition, or other improvement of a structure, taking place during any one-year period for which the cost equals or exceeds 50 percent of the market value of the structure before the "start of construction" of the improvement. This term includes structures which have incurred "substantial damage", regardless of the actual repair work performed. The term does not, however, include either:

- (1) Any correction of existing violations of state or community health, sanitary, or safety code specifications which have been identified by the community code enforcement official and which are the minimum necessary to assure safe living conditions; or
- (2) Any alteration of a historic structure, provided that the alteration will not preclude the structure's continued designation as a historic structure and the alteration is approved by variance issued pursuant to Article 4 IV, Section 14-49 of this ordinance chapter.

"Technical Bulletin and Technical Fact Sheet" means a FEMA publication that provides guidance concerning the building performance standards of the NFIP, which are contained in Title 44 of the U.S. Code of Federal Regulations at Section 60.3. The bulletins and fact sheets are intended for use primarily by State and local officials responsible for interpreting and enforcing NFIP regulations and by members of the development community, such as design professionals and builders. New bulletins, as well as updates of existing bulletins, are issued periodically as needed. The bulletins do not create regulations; rather they provide specific guidance for complying with the minimum requirements of existing NFIP regulations.

It should be noted that Technical Bulletins and Technical Fact Sheets provide guidance on the minimum requirements of the NFIP regulations. State or community requirements that exceed those of the NFIP take precedence. Design professionals should contact the community officials to determine whether more restrictive State or local regulations apply to the building or site in question. All applicable standards of the State or local building code must also be met for any building in a flood hazard area.

"Temperature Controlled" means having the temperature regulated by a heating and/or cooling system, built-in or appliance.

"Variance" is a grant of relief from the requirements of this ordinance.

"Violation" means the failure of a structure or other development to be fully compliant with the community's floodplain management regulations. A structure or other development without the elevation certificate, other certifications, or other evidence of compliance required in Articles 4 IV and 5 V is presumed to be in violation until that documentation is provided.

"Water Surface Elevation (WSE)" means the height, in relation to NAVD 1988, of floods of various magnitudes and frequencies in the floodplains of riverine areas.

"<u>Watercourse</u>" means a lake, river, creek, stream, wash, channel or other topographic feature on or over which waters flow at least periodically. Watercourse includes specifically designated areas in which substantial flood damage may occur.

ARTICLE 3III. - GENERAL PROVISIONS.

Sec. 14-6. - Lands to which this chapter applies.

This ordinance shall apply to all Special Flood Hazard Areas within the jurisdiction, including Extra (ETJs), [if applicable] Territorial Jurisdictions of Archer Lodge.

Sec. 14-7. - Basis for establishing the special flood hazard areas.

The Special Flood Hazard Areas are those identified under the Cooperating Technical State (CTS) agreement between the State of North Carolina and FEMA in its FIS dated December January 5, 20057 for Johnston County and associated DFIRM panels, including any digital data developed as part of the FIS, which are adopted by reference and declared a part of this ordinance, and any revision thereto. Future revisions to the FIS and DFIRM panels that do not change flood hazard data within the jurisdictional authority of Archer Lodge are also adopted by reference and declared a part of this ordinance. Subsequent Letter of Map Revisions (LOMRs) and/or Physical Map Revisions (PMRs) shall be adopted within 3 months.

Sec. 14-8. - Establishment of floodplain development permit.

A Floodplain Development Permit shall be required in conformance with the provisions of this ordinance prior to the commencement of any development activities within Special Flood Hazard Areas determined in accordance with the provisions of Article 3 III, Section 14-7 of this ordinance chapter.

Sec. 14-9. - Compliance.

No structure or land shall hereafter be located, extended, converted, altered, or developed in any way without full compliance with the terms of this ordinance and other applicable regulations.

Sec. 14-10. - Abrogation and greater restrictions.

This ordinance is not intended to repeal, abrogate, or impair any existing easements, covenants, or deed restrictions. However, where this ordinance and another conflict or overlap, whichever imposes the more stringent restrictions shall prevail.

Sec. 14-11. - Interpretation.

In the interpretation and application of this ordinance, all provisions shall be:

- (1) Considered as minimum requirements;
- (2) Liberally construed in favor of the governing body; and
- (3) Deemed neither to limit nor repeal any other powers granted under State statutes.

Sec. 14-12. - Warning and disclaimer of liability.

The degree of flood protection required by this ordinance is considered reasonable for regulatory purposes and is based on scientific and engineering consideration. Larger floods can and will occur. Actual flood heights may be increased by manmade or natural causes. This ordinance does not imply that land outside the Special Flood Hazard Areas or uses permitted within such areas will be free from flooding or flood damages. This ordinance shall not create liability on the part of the Town of Archer Lodge or by any officer or employee thereof for any flood damages that result from reliance on this ordinance or any administrative decision lawfully made hereunder.

Sec. 14-13. - Penalties for violation.

Violation of the provisions of this ordinance or failure to comply with any of its requirements, including violation of conditions and safeguards established about grants of variance or special exceptions, shall constitute a Class 1 misdemeanor pursuant to NC G.S. § 143-215.58. Any person who violates this ordinance or fails to comply with any of its requirements shall, upon conviction thereof, be fined not more than \$100.00 or imprisoned for not more than thirty (30) days, or both. Each day such violation continues shall be considered a separate offense. Nothing herein contained shall prevent the Town of Archer Lodge from taking such other lawful action as is necessary to prevent or remedy any violation.

Secs. 14-14—14-44. - Reserved.

ARTICLE # IV. - ADMINISTRATION.

Sec. 14-45. - Designation of floodplain administrator.

The zoning officer, hereinafter referred to as the "Floodplain Administrator", is hereby appointed to administer and implement the provisions of this ordinance. In instances where the Floodplain Administrator receives assistance from others to complete tasks to administer and implement this ordinance, the Floodplain Administrator shall be responsible for the coordination and community's overall compliance with the National Flood Insurance Program and the provisions of this ordinance.

Sec. 14-46. - Floodplain development application, permit and certification requirements.

- (a) <u>Application requirements.</u> Application for a Floodplain Development Permit shall be made to the Floodplain Administrator prior to any development activities located within Special Flood Hazard Areas. The following items shall be presented to the Floodplain Administrator to apply for a floodplain development permit:
 - (1) A plot plan drawn to scale which shall include, but shall not be limited to, the following specific details of the proposed floodplain development:
 - a. The nature, location, dimensions, and elevations of the area of development/disturbance; existing and proposed structures, utility systems, grading/pavement areas, fill materials, storage areas, drainage facilities, and other development;
 - b. The boundary of the Special Flood Hazard Area as delineated on the FIRM or other flood map as determined in Article 3III, Section 14-7, or a statement that the entire lot is within the Special Flood Hazard Area;
 - c. Flood zone(s) designation of the proposed development area as determined on the FIRM or other flood map as determined in Article 3III, Section 14-7;
 - d. The boundary of the floodway(s) or non-encroachment area(s) as determined in Article 3111, Section 14-7;
 - e. The Base Flood Elevation (BFE) where provided as set forth in Article 3 III, Section 14-7, Article 4-IV, Section 14-47 (11) and (12) or Article 4 IV, Section 14-47;
 - f. The old and new location of any watercourse that will be altered or relocated because of proposed

development; and

- g. The certification of the plot plan by a registered land surveyor or professional engineer.
- (2) Proposed elevation, and method thereof, of all development within a Special Flood Hazard Area including but not limited to:
 - a. Elevation in relation to NAVD 1988 of the proposed reference level (including basement) of all structures;
 - b. Elevation in relation to NAVD 1988 to which any non-residential structure in Zones A, AE, AH, AO, A99 will be floodproofed; and
 - c. Elevation in relation to NAVD 1988 to which any proposed utility systems will be elevated or floodproofed.
- (3) If floodproofing, a Floodproofing Certificate (FEMA Form 086-0-34) with supporting data, an operational plan, and an inspection and maintenance plan that include, but are not limited to, installation, exercise, and maintenance of floodproofing measures.
- (4) A Foundation Plan, drawn to scale, which shall include details of the proposed foundation system to ensure all provisions of this ordinance are met. These details include but are not limited to:
 - a. The proposed method of elevation, if applicable (i.e., fill, solid foundation perimeter wall, solid backfilled foundation, open foundation on columns/posts/piers/piles/shear walls); and
 - b. Openings to facilitate automatic equalization of hydrostatic flood forces on walls in accordance with Article 5-V, Section 14-73 (4) (c) when solid foundation perimeter walls are used in Zones A, AE, AH, AO, A99.
- (5) Usage details of any enclosed areas below the lowest floor.
- (6) Plans and/or details for the protection of public utilities and facilities such as sewer, gas, electrical, and water systems to be located and constructed to minimize flood damage.
- (7) Certification that all other Local, State and Federal permits required prior to floodplain development permit issuance have been received.
- (8) Documentation for placement of Recreational Vehicles and/or Temporary Structures, when applicable, to ensure that the provisions of Article 5-V, Section 14-73 (6) and (7) of this ordinance are met.
- (9) A description of proposed watercourse alteration or relocation, when applicable, including an engineering report on the effects of the proposed project on the flood-carrying capacity of the watercourse and the effects to properties located both upstream and downstream; and a map (if not shown on plot plan) showing the location of the proposed watercourse alteration or relocation.
- (b) <u>Permit requirements.</u> The Floodplain Development Permit shall include, but not be limited to:
 - (1) A complete description of all the development to be permitted under the floodplain development permit (e.g. house, garage, pool, septic, bulkhead, cabana, pier, bridge, mining, dredging, filling, grading, paving, excavation or drilling operations, or storage of equipment or materials, etc.).
 - (2) The Special Flood Hazard Area determination for the proposed development in accordance with available data specified in Article 3-III, Section 14-7.
 - (3) The Regulatory Flood Protection Elevation required for the reference level and all attendant utilities.
 - (4) The Regulatory Flood Protection Elevation required for the protection of all public utilities.

- (5) All certification submittal requirements with timelines.
- (6) A statement that no fill material or other development shall encroach into the floodway or non-encroachment area of any watercourse unless the requirements of Article 5 V, have been met.
- (7) The flood openings requirements, if in Zones A, AE, AH, AO, A99.
- (8) Limitations of below BFE enclosure uses (if applicable). (i.e., parking, building access and limited storage only).
- (9) All materials below BFE/RFPE must be flood resistant materials.

(c) <u>Certification requirements.</u>

- (1) Elevation Certificates
 - a. An Elevation Certificate (FEMA Form 086-0-33) is required prior to the actual start of any new construction. It shall be the duty of the permit holder to submit to the Floodplain Administrator a certification of the elevation of the reference level, in relation to NAVD 1988. The Floodplain Administrator shall review the certificate data submitted. Deficiencies detected by such review shall be corrected by the permit holder prior to the beginning of construction. Failure to submit the certification or failure to make required corrections shall be causing to deny a floodplain development permit.
 - b. An Elevation Certificate (FEMA Form 086-0-33) is required after the reference level is established. Within seven (7) calendar days of establishment of the reference level elevation, it shall be the duty of the permit holder to submit to the Floodplain Administrator a certification of the elevation of the reference level, in relation to NAVD 1988. Any work done within the seven (7) day calendar period and prior to submission of the certification shall be at the permit holder's risk. The Floodplain Administrator shall review the certificate data submitted. Deficiencies detected by such review shall be corrected by the permit holder immediately and prior to further work being permitted to proceed. Failure to submit the certification or failure to make required corrections shall be causing to issue a stop-work order for the project.
 - A final Finished Construction Elevation Certificate (FEMA Form 086-0-33) is required after construction c. is completed and prior to Certificate of Compliance/Occupancy issuance. It shall be the duty of the permit holder to submit to the Floodplain Administrator a certification of final as-built construction of the elevation of the reference level and all attendant utilities. The Floodplain Administrator shall review the certificate data submitted. Deficiencies detected by such review shall be corrected by the permit holder immediately and prior to Certificate of Compliance/Occupancy issuance. In some instances, another certification may be required to certify corrected as-built construction. Failure to submit the certification or failure to make required corrections shall be causing to withhold the issuance of a Certificate of Compliance/Occupancy. The Finished Construction Elevation Certificate certifier shall provide at least 2 photographs showing the front and rear of the building taken with 90 days from the date of certification. The photographs must be taken with views confirming the building description and diagram number provide in section to the extent possible, these photographs should show the entire building including foundation. If the building has split-level or multi-level areas, provide at least 2 additional photographs showing side views of the building. In addition, when applicable provide a photograph of the foundation showing a representative example of the flood openings or vents. All photographs must be in color and measure at least 3" x 3". Digital photographs are acceptable.

(2) Floodproofing Certificate

a. If non-residential floodproofing is used to meet the Regulatory Flood Protection Elevation requirements, a Floodproofing Certificate (FEMA Form 086-0-34), with supporting data, an operational plan, and an inspection and maintenance plan are required prior to the actual start of any new construction. It shall be the duty of the permit holder to submit to the Floodplain Administrator a certification of the floodproofed design elevation of the reference level and all attendant utilities, in relation to NAVD 1988. Floodproofing certification shall be prepared by or under the direct supervision of a professional engineer or architect and certified by same. The Floodplain Administrator shall review the certificate data, the operational plan, and

the inspection and maintenance plan. Deficiencies detected by such review shall be corrected by the applicant prior to permit approval. Failure to submit the certification or failure to make required corrections shall be causing to deny a Floodplain Development Permit. Failure to construct in accordance with the certified design shall be causing to withhold the issuance of a Certificate of Compliance/Occupancy.

- b. A final Finished Construction Floodproofing Certificate (FEMA Form 086-0-334), with supporting data, an operational plan, and an inspection and maintenance plan are required prior to the issuance of a Certificate of Compliance/Occupancy. It shall be the duty of the permit holder to submit to the Floodplain Administrator a certification of the floodproofed design elevation of the reference level and all attendant utilities, in relation to NAVD 1988. Floodproofing certificate shall be prepared by or under the direct supervision of a professional engineer or architect and certified by same. The Floodplain Administrator shall review the certificate data, the operational plan, and the inspection and maintenance plan. Deficiencies detected by such review shall be corrected by the applicant prior to Certificate of Occupancy. Failure to submit the certification or failure to make required corrections shall be causing to deny a Floodplain Development Permit. Failure to construct in accordance with the certified design shall be causing to deny a Certificate of Compliance/Occupancy.
- (3) If a manufactured home is placed within Zones A, AE, AH, AO, A99 and the elevation of the chassis is more than 36 inches in height above grade, an engineered foundation certification is required in accordance with the provisions of Article 5-V, Section 14-73(3).
- (4) If a watercourse is to be altered or relocated, a description of the extent of watercourse alteration or relocation; a professional engineer's certified report on the effects of the proposed project on the flood-carrying capacity of the watercourse and the effects to properties located both upstream and downstream; and a map showing the location of the proposed watercourse alteration or relocation shall all be submitted by the permit applicant prior to issuance of a floodplain development permit.
- (5) Certification Exemptions. The following structures, if located within Zones A, AE, AH, AO, A99, are exempt from the elevation/floodproofing certification requirements specified in items (a) and (b) of this subsection:
 - a. Recreational Vehicles meeting requirements of Article 5 V, Section 14-73(6)(a);
 - b. Temporary Structures meeting requirements of Article 5 V, Section 14-73(7) and
 - c. Accessory Structures that are 150 square feet or less or \$3000 or less and meeting requirements of Article 5 V, Section 14-73(8).

(d) <u>Determinations for existing buildings and structures.</u>

For applications for building permits to improve buildings and structures, including alterations, movement, enlargement, repair, change of occupancy, additions, rehabilitations, renovations, substantial improvements, repairs of substantial damage, and any other improvement of or work on such buildings and structures, the Floodplain Administrator, in coordination with the Building Official, shall:

- (1) Estimate the market value, or require the applicant to obtain an appraisal of the market value prepared by a qualified independent appraiser, of the building or structure before the start of construction of the proposed work; in the case of repair, the market value of the building or structure shall be the market value before the damage occurred and before any repairs are made;
- (2) Compare the cost to perform the improvement, the cost to repair a damaged building to its pre-damaged condition, or the combined costs of improvements and repairs, if applicable, to the market value of the building or structure;
- (3) Determine and document whether the proposed work constitutes substantial improvement or repair of substantial damage; and
- (4) Notify the applicant if it is determined that the work constitutes substantial improvement or repair of substantial damage and that compliance with the flood resistant construction requirements of the NC Building Code and this

Sec. 14-47. - Duties and responsibilities of the floodplain administrator.

The Floodplain Administrator shall perform, but not be limited to, the following duties:

- (1) Review all floodplain development applications and issue permits for all proposed development within Special Flood Hazard Areas to assure that the requirements of this ordinance have been satisfied.
- (2) Review all proposed development within Special Flood Hazard Areas to assure that all necessary local, state and federal permits have been received, including Section 404 of the Federal Water Pollution Control Act Amendments of 1972, 33 U.S.C. 1334.
- (3) Notify adjacent communities and the North Carolina Department of Public Safety, Division of Emergency Management, State Coordinator for the National Flood Insurance Program prior to any alteration or relocation of a watercourse and submit evidence of such notification to the Federal Emergency Management Agency (FEMA).
- (4) Assure that maintenance is provided within the altered or relocated portion of said watercourse so that the flood-carrying capacity is maintained.
- (5) Prevent encroachments into floodways and non-encroachment areas unless the certification and flood hazard reduction provisions of Article 5 V, Section 14-75 are met.
- (6) Obtain actual elevation (in relation to NAVD 1988) of the reference level (including basement) and all attendant utilities of all new and substantially improved structures, in accordance with the provisions of Article 4-IV, Section 14-46(c).
- (7) Obtain actual elevation (in relation to NAVD 1988) to which all new and substantially improved structures and utilities have been floodproofed, in accordance with the provisions of Article 4-IV, Section 14-46(c).
- (8) Obtain actual elevation (in relation to NAVD 1988) of all public utilities in accordance with the provisions of Article 4 IV, Section 14-46(c).
- (9) When floodproofing is utilized for a structure, obtain certifications from a registered professional engineer or architect in accordance with the provisions of Article 4-IV, Section 14-46(c) and Article 5V, Section 14-73(2).
- (10) Where interpretation is needed as to the exact location of boundaries of the Special Flood Hazard Areas, floodways, or non-encroachment areas (for example, where there appears to be a conflict between a mapped boundary and actual field conditions), make the necessary interpretation. The person contesting the location of the boundary shall be given a reasonable opportunity to appeal the interpretation as provided in this article.
- (11) When BFE data has not been provided in accordance with the provisions of Article 3 III, Section 14-7, obtain, review, and reasonably utilize any BFE data, along with floodway data or non-encroachment area data available from a federal, state, or other source, including data developed pursuant to Article 5 V, Section 14-74(2)(b), to administer the provisions of this ordinance.
- (12) When BFE data is provided but no floodway or non-encroachment area data has been provided in accordance with the provisions of Article 3 III, Section 14-7, obtain, review, and reasonably utilize any floodway data or non-encroachment area data available from a federal, state, or other source to administer the provisions of this ordinance.
- (13) When the lowest floor and the lowest adjacent grade of a structure or the lowest ground elevation of a parcel in a Special Flood Hazard Area is above the BFE, advise the property owner of the option to apply for a Letter of Map Amendment (LOMA) from FEMA. Maintain a copy of the LOMA issued by FEMA in the floodplain development permit file.
- (14) Permanently maintain all records that pertain to the administration of this ordinance and make these records available for public inspection, recognizing that such information may be subject to the Privacy Act of 1974, as amended.

- (15) Make on-site inspections of work in progress. As the work pursuant to a floodplain development permit progresses, the Floodplain Administrator shall make as many inspections of the work as may be necessary to ensure that the work is being done according to the provisions of the local ordinance and the terms of the permit. In exercising this power, the Floodplain Administrator has a right, upon presentation of proper credentials, to enter on any premises within the jurisdiction of the community at any reasonable hour for the purposes of inspection or other enforcement action.
- (16) Issue stop-work orders as required. Whenever a building or part thereof is being constructed, reconstructed, altered, or repaired in violation of this ordinance, the Floodplain Administrator may order the work to be immediately stopped. The stop-work order shall be in writing and directed to the person doing or in charge of the work. The stop-work order shall state the specific work to be stopped, the specific reason(s) for the stoppage, and the condition(s) under which the work may be resumed. Violation of a stop-work order constitutes a misdemeanor.
- (17) Revoke floodplain development permits as required. The Floodplain Administrator may revoke and require the return of the floodplain development permit by notifying the permit holder in writing stating the reason(s) for the revocation. Permits shall be revoked for any substantial departure from the approved application, plans, and specifications; for refusal or failure to comply with the requirements of State or local laws; or for false statements or misrepresentations made in securing the permit. Any floodplain development permit mistakenly issued in violation of an applicable State or local law may also be revoked.
- (18) Make periodic inspections throughout the Special Flood Hazard Areas within the jurisdiction of the community. The Floodplain Administrator and each member of his or her inspections department shall have a right, upon presentation of proper credentials, to enter on any premises within the territorial jurisdiction of the department at any reasonable hour for the purposes of inspection or other enforcement action.
- (19) Follow through with corrective procedures of Article 4-IV, Section 14-48.
- (20) Review, provide input, and make recommendations for variance requests.
- (21) Maintain a current map repository to include, but not limited to, historical and effective FIS Report, historical and effective FIRM and other official flood maps and studies adopted in accordance with the provisions of Article 3 III, Section 14-7 of this ordinance, including any revisions thereto including Letters of Map Change, issued by FEMA. Notify State and FEMA of mapping needs.
- (22) Coordinate revisions to FIS reports and FIRMs, including Letters of Map Revision Based on Fill (LOMR-Fs) and Letters of Map Revision (LOMRs).

Sec. 14-48. - Corrective procedures.

- (a) Violations to be corrected: When the Floodplain Administrator finds violations of applicable state and local laws; it shall be his or her duty to notify the owner or occupant of the building of the violation. The owner or occupant shall immediately remedy each of the violations of law cited in such notification.
- (b) Actions in Event of Failure to Take Corrective Action: If the owner of a building or property shall fail to take prompt corrective action, the Floodplain Administrator shall give the owner written notice, by certified or registered mail to the owner's last known address or by personal service, stating:
 - (1) That the building or property is in violation of the floodplain management regulations;
 - (2) That a hearing will be held before the Floodplain Administrator at a designated place and time, not later than ten (10) days after the date of the notice, at which time the owner shall be entitled to be heard in person or by counsel and to present arguments and evidence pertaining to the matter; and
 - (3) That following the hearing, the Floodplain Administrator may issue an order to alter, vacate, or demolish the building; or to remove fill as applicable.
- (c) Order to Take Corrective Action: If, upon a hearing held pursuant to the notice prescribed above, the Floodplain Administrator shall find that the building or development is in violation of the Flood Damage Prevention Ordinance, he

or she shall issue an order in writing to the owner, requiring the owner to remedy the violation within a specified time, not less than sixty (60) calendar days, nor more than least 180 calendar days. Where the Floodplain Administrator finds that there is imminent danger to life or other property, he or she may order that corrective action be taken in such lesser period as may be feasible.

- (d) Appeal: Any owner who has received an order to take corrective action may appeal the order to the local elected governing body by giving notice of appeal in writing to the Floodplain Administrator and the clerk within ten (10) days following issuance of the final order. In the absence of an appeal, the order of the Floodplain Administrator shall be final. The local governing body shall hear an appeal within a reasonable time and may affirm, modify and affirm, or revoke the order.
- (e) Failure to Comply with Order: If the owner of a building or property fails to comply with an order to take corrective action for which no appeal has been made or fails to comply with an order of the governing body following an appeal, the owner shall be guilty of a Class 1 misdemeanor pursuant to NC G.S. § 143-215.58 and shall be punished at the discretion of the court.

Sec. 14-49. - Variance procedures.

- (a) The board of adjustment as established by the Town of Archer Lodge, hereinafter referred to as the "appeal board", shall hear and decide requests for variances from the requirements of this ordinance. chapter.
- (b) Any person aggrieved by the decision of the appeal board may appeal such decision to the Court, as provided in Chapter 7A of the North Carolina General Statutes.
- (c) Variances may be issued for:
 - (1) The repair or rehabilitation of historic structures upon the determination that the proposed repair or rehabilitation will not preclude the structure's continued designation as a historic structure and that the variance is the minimum necessary to preserve the historic character and design of the structure;
 - (2) Functionally dependent facilities if determined to meet the definition as stated in Article 2 II, Section 14-5 of this ordinance, provided provisions of Article 4IV, Section 14-49, (i), b., c. and e. have been satisfied, and such facilities are protected by methods that minimize flood damages during the base flood and create no additional threats to public safety; or
 - (3) Any other type of development provided it meets the requirements of this Section.
- (d) In passing upon variances, the appeal board shall consider all technical evaluations, all relevant factors, all standards specified in other sections of this ordinance, and:
 - (1) The danger that materials may be swept onto other lands to the injury of others;
 - (2) The danger to life and property due to flooding or erosion damage;
 - (3) The susceptibility of the proposed facility and its contents to flood damage and the effect of such damage on the individual owner;
 - (4) The importance of the services provided by the proposed facility to the community;
 - (5) The necessity to the facility of a waterfront location as defined under Article 2 II, Section 14-5. of this ordinance as a functionally dependent facility, where applicable;
 - (6) The availability of alternative locations, not subject to flooding or erosion damage, for the proposed use;
 - (7) The compatibility of the proposed use with existing and anticipated development;
 - (8) The relationship of the proposed use to the comprehensive plan and floodplain management program for that area;

- (9) The safety of access to the property in times of flood for ordinary and emergency vehicles;
- (10) The expected heights, velocity, duration, rate of rise, and sediment transport of the floodwaters and the effects of wave action, if applicable, expected at the site; and
- (11) The costs of providing governmental services during and after flood conditions including maintenance and repair of public utilities and facilities such as sewer, gas, electrical and water systems, and streets and bridges.
- (e) A written report addressing each of the above factors shall be submitted with the application for a variance.
- (f) Upon consideration of the factors listed above and the purposes of this ordinance, the appeal board may attach such conditions to the granting of variances as it deems necessary to further the purposes and objectives of this ordinance.
- (g) Any applicant to whom a variance is granted shall be given written notice specifying the difference between the BFE and the elevation to which the structure is to be built and that such construction below the BFE increases risks to life and property, and that the issuance of a variance to construct a structure below the BFE may result in increased premium rates for flood insurance up to \$25 per \$100 of insurance coverage. Such notification shall be maintained with a record of all variance actions, including justification for their issuance.
- (h) The Floodplain Administrator shall maintain the records of all appeal actions and report any variances to the FEMA and the State of North Carolina upon request.
- (i) Conditions for Variances:
 - (1) Variances shall not be issued when the variance will make the structure in violation of other federal, state, or local laws, regulations, or ordinances.
 - (2) Variances shall not be issued within any designated floodway or non-encroachment area if the variance would result in any increase in flood levels during the base flood discharge.
 - (3) Variances shall only be issued upon a determination that the variance is the minimum necessary, considering the flood hazard, to afford relief.
 - (4) Variances shall only be issued prior to development permit approval.
 - (5) Variances shall only be issued upon:
 - a. A showing of good and sufficient cause;
 - b. A determination that failure to grant the variance would result in exceptional hardship; and
 - c. A determination that the granting of a variance will not result in increased flood heights, additional threats to public safety, or extraordinary public expense, create nuisance, cause fraud on or victimization of the public, or conflict with existing local laws or ordinances.
- (j) A variance may be issued for solid waste disposal facilities or sites, hazardous waste management facilities, salvage yards, and chemical storage facilities that are in Special Flood Hazard Areas if all the following conditions are met.
 - (1) The use serves a critical need in the community.
 - (2) No feasible location exists for the use outside the Special Flood Hazard Area.
 - (3) The reference level of any structure is elevated or floodproofed to at least the Regulatory Flood Protection Elevation.
 - (4) The use complies with all other applicable federal, state and local laws.
 - (5) The Town of Archer Lodge has notified the Secretary of the North Carolina Department of Public Safety of its

intention to grant a variance at least thirty (30) calendar days prior to granting the variance.

Secs. 14-50—14-71. - Reserved.

ARTICLE | V. - PROVISIONS FOR FLOOD HAZARD REDUCTION

Sec. 14-72. - General standards.

In all Special Flood Hazard Areas, the following provisions are required:

- All new construction and substantial improvements shall be designed (or modified) and adequately anchored to prevent flotation, collapse, and lateral movement of the structure.
- (2) All new construction and substantial improvements shall be constructed with materials and utility equipment resistant to flood damage in accordance with the FEMA Technical Bulletin 2, *Flood Damage-Resistant Materials Requirements*.
- (3) All new construction and substantial improvements shall be constructed by methods and practices that minimize flood damages.
- (4) All new electrical, heating, ventilation, plumbing, air conditioning equipment, and other service equipment shall be located at or above the RFPE or designed and installed to prevent water from entering or accumulating within the components during the occurrence of the base flood. These include, but are not limited to, HVAC equipment, water softener units, bath/kitchen fixtures, ductwork, electric/gas meter panels/boxes, utility/cable boxes, water heaters, and electric outlets/switches.
 - a. Replacements part of a substantial improvement, electrical, heating, ventilation, plumbing, air conditioning equipment, and other service equipment shall also meet the above provisions.
 - b. Replacements that are for maintenance and not part of a substantial improvement, may be installed at the original location provided the addition and/or improvements only comply with the standards for new construction consistent with the code and requirements for the original structure.
- (5) All new and replacement water supply systems shall be designed to minimize or eliminate infiltration of floodwaters into the system.
- (6) New and replacement sanitary sewage systems shall be designed to minimize or eliminate infiltration of floodwaters into the systems and discharges from the systems into flood waters.
- (7) On-site waste disposal systems shall be located and constructed to avoid impairment to them or contamination from them during flooding.
- (8) Nothing in this ordinance shall prevent the repair, reconstruction, or replacement of a building or structure existing on the effective date of this ordinance and located totally or partially within the floodway, non-encroachment area, or stream setback, provided there is no additional encroachment below the Regulatory Flood Protection Elevation in the floodway, non-encroachment area, or stream setback, and provided that such repair, reconstruction, or replacement meets all of the other requirements of this ordinance.
- (9) New solid waste disposal facilities and sites, hazardous waste management facilities, salvage yards, and chemical storage facilities shall not be permitted, except by variance as specified in Article 4 IV, Section 14-49 (j). A structure or tank for chemical or fuel storage incidental to an allowed use or to the operation of a water treatment plant or wastewater treatment facility may be in a Special Flood Hazard Area only if the structure or tank is either elevated or floodproofed to at least the Regulatory Flood Protection Elevation and certified in accordance with the provisions of Article 4 IV, Section 14-49 (i)(3).
- (10) All subdivision proposals and other development proposals shall be consistent with the need to minimize flood damage.
- (11) All subdivision proposals and other development proposals shall have public utilities and facilities such as sewer, gas,

- electrical, and water systems located and constructed to minimize flood damage.
- (12) All subdivision proposals and other development proposals shall have adequate drainage provided to reduce exposure to flood hazards.
- (13) All subdivision proposals and other development proposals shall have received all necessary permits from those governmental agencies for which approval is required by federal or state law, including Section 404 of the Federal Water Pollution Control Act Amendments of 1972, 33 U.S.C. 1334.
- (14) When a structure is partially located in a Special Flood Hazard Area, the entire structure shall meet the requirements for new construction and substantial improvements.
- (15) When a structure is in multiple flood hazard zones or in a flood hazard risk zone with multiple base flood elevations, the provisions for the more restrictive flood hazard risk zone and the highest BFE shall apply.
- (16) Fill is prohibited in the SFHA, including construction of buildings on fill. This includes not approving Conditional Letters or Letters of Map Revision Based on Fill (CLOMR-F or LOMR-F).

Sec. 14-73. - Specific standards.

In all Special Flood Hazard Areas where BFE data has been provided, as set forth in Article 3-III. Section 14-7 or Article IV, Section 14-47 or Article 4 IV, Section 14-72, the following provisions, in addition to the provisions of Article 5 V, Section 14-72, are required:

- (1) <u>Residential construction.</u> New construction and substantial improvement of any residential structure (including manufactured homes) shall have the reference level, including basement, elevated no lower than the Regulatory Flood Protection Elevation, as defined in Article 3 III, Section 14-5 of this ordinance.
- (2) Non-residential construction. New construction and substantial improvement of any commercial, industrial, or other non-residential structure shall have the reference level, including basement, elevated no lower than the Regulatory Flood Protection Elevation, as defined in Article 2-II, Section 14-5 of this ordinance. Structures located in Zones A, AE, AH, AO, A99 may be floodproofed to the Regulatory Flood Protection Elevation in lieu of elevation provided that all areas of the structure, together with attendant utility and sanitary facilities, below the Regulatory Flood Protection Elevation are watertight with walls substantially impermeable to the passage of water, using structural components having the capability of resisting hydrostatic and hydrodynamic loads and the effect of buoyancy. For AO Zones, the floodproofing elevation shall be in accordance with section 14-77(3). A registered professional engineer or architect shall certify that the floodproofing standards of this subsection are satisfied. Such certification shall be provided to the Floodplain Administrator as set forth in section 14-46(c), along with the operational plan and the inspection and maintenance plan.

(3) Manufactured homes.

- a. New and replacement manufactured homes shall be elevated so that the reference level of the manufactured home is no lower than the Regulatory Flood Protection Elevation, as defined in section Article 2 II, Section 14-5 of this ordinance.
- b. Manufactured homes shall be securely anchored to an adequately anchored foundation to resist flotation, collapse, and lateral movement, either by certified engineered foundation system, or in accordance with the most current edition of the State of North Carolina Regulations for Manufactured Homes adopted by the Commissioner of Insurance pursuant to NCGS 143-143.15. Additionally, when the elevation would be met by an elevation of the chassis thirty-six (36) inches or less above the grade at the site, the chassis shall be supported by reinforced piers or engineered foundation. When the elevation of the chassis is above thirty-six (36) inches in height, an engineering certification is required.
- c. All enclosures or skirting below the lowest floor shall meet the requirements of Article 5 V, Section 73 (4).
- d. An evacuation plan must be developed for evacuation of all residents of all new, substantially improved or substantially damaged manufactured home parks or subdivisions located within flood prone areas. This plan shall

be filed with and approved by the Floodplain Administrator and the local Emergency Management Coordinator.

- (4) <u>Elevated buildings</u>. Fully enclosed area, of new construction and substantially improved structures, which is below the lowest floor:
 - a. Shall not be designed or used for human habitation, but shall only be used for parking of vehicles, building access, or limited storage of maintenance equipment used in connection with the premises. Access to the enclosed area shall be the minimum necessary to allow for parking of vehicles (garage door) or limited storage of maintenance equipment (standard exterior door), or entry to the living area (stairway or elevator). The interior portion of such enclosed area shall not be finished or partitioned into separate rooms, except to enclose storage areas;
 - b. Shall not be temperature-controlled or conditioned;
 - c. Shall be constructed entirely of flood resistant materials at least to the Regulatory Flood Protection Elevation; and
 - d. Shall include, in Zones A, AE, AH, AO, A99 flood openings to automatically equalize hydrostatic flood forces on walls by allowing for the entry and exit of floodwaters. To meet this requirement, the openings must either be certified by a professional engineer or architect or meet or exceed the following minimum design criteria:
 - 1. A minimum of two flood openings on different sides of each enclosed area subject to flooding;
 - 2. The total net area of all flood openings must be at least one (1) square inch for each square foot of enclosed area subject to flooding;
 - 3. If a building has more than one enclosed area, each enclosed area must have flood openings to allow floodwaters to automatically enter and exit;
 - 4. The bottom of all required flood openings shall be no higher than one (1) foot above the higher of the interior or exterior adjacent grade;
 - 5. Flood openings may be equipped with screens, louvers, or other coverings or devices, provided they permit the automatic flow of floodwaters in both directions; and
 - 6. Enclosures made of flexible skirting are not considered enclosures for regulatory purposes, and, therefore, do not require flood openings. Masonry or wood underpinning, regardless of structural status, is considered an enclosure and requires flood openings as outlined above.

e. Fill/Grading

- 1. Fill is prohibited in the SFHA
- f. Property owners shall be required to execute and record a non-conversion agreement prior to issuance of a building permit declaring that the area below the lowest floor shall not be improved, finished or otherwise converted to habitable space; Archer Lodge will have the right to inspect the enclosed area. Archer Lodge will conduct annual inspections. This agreement shall be recorded with the Johnston County Register of Deeds and shall transfer with the property in perpetuity.
- g. Release of restrictive covenant. If a property which is bound by a non-conversion agreement is modified to remove enclosed areas below BFE, then the owner may request release of restrictive covenant after staff inspection and submittal of confirming documentation.

(5) Additions/Improvements.

- a. Additions and/or improvements to pre-FIRM structures when the addition and/or improvements in combination with any interior modifications to the existing structure are:
 - 1. Not a substantial improvement, the addition and/or improvements must be designed to minimize flood

- damages and must not be any more non-conforming than the existing structure.
- 2. A substantial improvement, with modifications/rehabilitations/improvements to the existing structure or the common wall is structurally modified more than installing a doorway, both the existing structure and the addition must comply with the standards for new construction.
- b. Additions to pre-FIRM or post-FIRM structures that are a substantial improvement with no modifications/rehabilitations/improvements to the existing structure other than a standard door in the common wall, shall require only the addition to comply with the standards for new construction.
- c. Additions and/or improvements to post-FIRM structures when the addition and/or improvements in combination with any interior modifications to the existing structure are:
 - 1. Not a substantial improvement, the addition and/or improvements only must comply with the standards for new construction consistent with the code and requirements for the original structure.
 - A substantial improvement, both the existing structure and the addition and/or improvements must comply
 with the standards for new construction.
- d. Any combination of repair, reconstruction, rehabilitation, addition or improvement of a building or structure taking place during a one-year period, the cumulative cost of which equals or exceeds 50 percent of the market value of the structure before the improvement or repair is started must comply with the standards for new construction. For each building or structure, the one-year period begins on the date of the first improvement or repair of that building or structure subsequent to the effective date of this ordinance. Substantial damage also means flood-related damage sustained by a structure on two separate occasions during a 10-year period for which the cost of repairs at the time of each such flood event, on the average, equals or exceeds 25 percent of the market value of the structure before the damage occurred. If the structure has sustained substantial damage, any repairs are considered substantial improvement regardless of the actual repair work performed. The requirement does not, however, include either:
 - 1. Any project for improvement of a building required to correct existing health, sanitary or safety code violations identified by the building official and that are the minimum necessary to assume safe living conditions.
 - 2. Any alteration of a historic structure provided that the alteration will not preclude the structure's continued designation as a historic structure.
- (6) Recreational vehicles. Recreational vehicles shall either:
 - a. Temporary Placement
 - 1. Be on site for fewer than 180 consecutive days; or
 - 2. Be fully licensed and ready for highway use. (A recreational vehicle is ready for highway use if it is on its wheels or jacking system, is attached to the site only by quick disconnect type utilities and has no permanently attached additions.)
 - b. Permanent Placement. Recreational vehicles that do not meet the limitations of Temporary Placement shall meet all the requirements for new construction.
- (7) <u>Temporary non-residential structures</u>. Prior to the issuance of a floodplain development permit for a temporary structure, the applicant must submit to the Floodplain Administrator a plan for the removal of such structure(s) in the event of a hurricane, flash flood or other type of flood warning notification. The following information shall be submitted in writing to the Floodplain Administrator for review and written approval:
 - a. A specified time for which the temporary use will be permitted. Time specified may not exceed three (3) months, renewable up to one (1) year;

- b. The name, address, and phone number of the individual responsible for the removal of the temporary structure;
- c. The time frame prior to the event at which a structure will be removed (i.e., minimum of 72 hours before landfall of a hurricane or immediately upon flood warning notification);
- d. A copy of the contract or other suitable instrument with the entity responsible for physical removal of the structure; and
- e. Designation, accompanied by documentation, of a location outside the Special Flood Hazard Area, to which the temporary structure will be moved.
- (8) <u>Accessory structures</u>. When accessory structures (sheds, detached garages, etc.) are to be placed within a Special Flood Hazard Area, the following criteria shall be met:
 - Accessory structures shall not be used for human habitation (including working, sleeping, living, cooking or restroom areas);
 - b. Accessory structures shall not be temperature-controlled;
 - c. Accessory structures shall be designed to have low flood damage potential;
 - d. Accessory structures shall be constructed and placed on the building site so as to offer the minimum resistance to the flow of floodwaters;
 - e. Accessory structures shall be firmly anchored in accordance with the provisions of Article 5 V, Section 14-72(1);
 - f. All service facilities such as electrical shall be installed in accordance with the provisions of Article 5-V, Section 14-72(4); and
 - g. Flood openings to facilitate automatic equalization of hydrostatic flood forces shall be provided below Regulatory Flood Protection Elevation in conformance with the provisions of Article 5, Section 14-73 (4)(d).

An accessory structure with footprint less than 150 square feet or that is a minimal investment of \$3000 or less and satisfies the criteria outlined above is not required to meet the elevation or floodproofing standards of Article 5 V, Section 14-74 (2). Elevation or floodproofing certifications are required for all other accessory structures in accordance with section 14-46 (B) 3.

- (9) <u>Tanks</u>. When gas and liquid storage tanks are to be placed within a Special Flood Hazard Area, the following criteria shall be met:
 - a. <u>Underground tanks</u>. Underground tanks in flood hazard areas shall be anchored to prevent flotation, collapse or lateral movement resulting from hydrodynamic and hydrostatic loads during conditions of the design flood, including the effects of buoyancy assuming the tank is empty;
 - b. <u>Above-ground tanks, elevated.</u> Above-ground tanks in flood hazard areas shall be elevated to or above the Regulatory Flood Protection Elevation on a supporting structure that is designed to prevent flotation, collapse or lateral movement during conditions of the design flood. Tank-supporting structures shall meet the foundation requirements of the applicable flood hazard area;
 - c. Above-ground tanks, not elevated. Above-ground tanks that do not meet the elevation requirements of Article V, Section 14-73(2) of this ordinance shall be permitted in flood hazard areas provided the tanks are designed, constructed, installed, and anchored to resist all flood-related and other loads, including the effects of buoyancy, during conditions of the design flood and without release of contents in the floodwaters or infiltration by floodwaters into the tanks. Tanks shall be designed, constructed, installed, and anchored to resist the potential buoyant and other flood forces acting on an empty tank during design flood conditions.
 - d. <u>Tank inlets and vents</u>. Tank inlets, fill openings, outlets and vents shall be:

- 1. At or above the Regulatory Flood Protection Elevation or fitted with covers designed to prevent the inflow of floodwater or outflow of the contents of the tanks during conditions of the design flood; and
- 2. Anchored to prevent lateral movement resulting from hydrodynamic and hydrostatic loads, including the effects of buoyancy, during conditions of the design flood.

(10) Other development.

- a. Fences in regulated floodways and NEAs that have the potential to block the passage of floodwaters, such as stockade fences and wire mesh fences, shall meet the limitations of Article 5 V, Section 14-76 of this ordinance.
- b. Retaining walls, sidewalks and driveways in regulated floodways and NEAs. Retaining walls and sidewalks and driveways that involve the placement of fill in regulated floodways shall meet the limitations of Article 5-V, Section 14-76 of this ordinance.
- c. Roads and watercourse crossings in regulated floodways and NEAs. Roads and watercourse crossings, including roads, bridges, culverts, low-water crossings and similar means for vehicles or pedestrians to travel from one side of a watercourse to the other side, that encroach into regulated floodways shall meet the limitations of Article 5, Section 14-76 of this ordinance.

Sec. 14-74. - Standards for floodplains without established base flood elevations.

Within the Special Flood Hazard Areas designated as Approximate Zone A and established in Article 3 III, Section 14-7, where no BFE data has been provided by FEMA, the following provisions, in addition to the provisions of Article-5 V, Sections 14-72 and sections 14-73 shall apply:

- (1) No encroachments, including fill, new construction, substantial improvements or new development shall be permitted within a distance of twenty (20) feet each side from top of bank or five times the width of the stream, whichever is greater, unless certification with supporting technical data by a registered professional engineer is provided demonstrating that such encroachments shall not result in any increase in flood levels during the occurrence of the base flood discharge.
- (2) The BFE used in determining the Regulatory Flood Protection Elevation shall be determined based on the following criteria:
 - a. When BFE data is available from other sources, all new construction and substantial improvements within such areas shall also comply with all applicable provisions of this ordinance and shall be elevated or floodproofed in accordance with standards in Article-4 IV, Sections 14-47(11) and (12).
 - b. When floodway or non-encroachment data is available from a Federal, State, or other source, all new construction and substantial improvements within floodway and non-encroachment areas shall also comply with the requirements of Article 3 III, Section 14-7.
 - c. All subdivision, manufactured home park and other development proposals shall provide BFE data if development is greater than five (5) acres or has more than fifty (50) lots/manufactured home sites. Such BFE data shall be adopted by reference in accordance with Article 2 II, Section 14-5 and utilized in implementing this ordinance.
 - d. When BFE data is not available from a Federal, State, or other source as outlined above, the reference level shall be elevated or floodproofed (nonresidential) to or above the Regulatory Flood Protection Elevation, as defined in Article 2 II. All other applicable provisions of Article 5 V, Section 14-73 shall also apply.

Sec. 14-75. - Standards for riverine floodplains with BFE but without established floodways or non-encroachment areas.

Along rivers and streams where BFE data is provided by FEMA or is available from another source but neither floodway nor non-encroachment areas are identified for a Special Flood Hazard Area on the FIRM or in the FIS report, the following

requirements shall apply to all development within such areas:

- (1) Standards of Article 5-V. Sections 14-72 and 14-73; and
- (2) Until a regulatory floodway or non-encroachment area is designated, no encroachments, including fill, new construction, substantial improvements, or other development, shall be permitted unless certification with supporting technical data by a registered professional engineer is provided demonstrating that the cumulative effect of the proposed development, when combined with all other existing and anticipated development, will not increase the water surface elevation of the base flood more than one (1) foot at any point within the community.

Sec. 14-76. - Floodways and non-encroachment areas.

Areas designated as floodways or non-encroachment areas are located within the Special Flood Hazard Areas established in Article 3-III, Section 14-7. The floodways and non-encroachment areas are extremely hazardous areas due to the velocity of floodwaters that have erosion potential and carry debris and potential projectiles. The following provisions, in addition to standards outlined in Article 5 V, Sections 14-72 and 14-73, shall apply to all development within such areas:

- (1) No encroachments, including fill, new construction, substantial improvements and other developments shall be permitted unless:
 - a. It is demonstrated that the proposed encroachment would not result in any increase in the flood levels during the occurrence of the base flood discharge, based on hydrologic and hydraulic analyses performed in accordance with standard engineering practice and presented to the Floodplain Administrator prior to issuance of floodplain development permit; or
 - b. A Conditional Letter of Map Revision (CLOMR) has been approved by FEMA. A Letter of Map Revision (LOMR) must also be obtained within six months of completion of the proposed encroachment.
- (2) If Article 5 V, Section 14-76(1) is satisfied, all development shall comply with all applicable flood hazard reduction provisions of this ordinance.
- (3) Manufactured homes may be permitted provided the following provisions are met:
 - a. The anchoring and the elevation standards of Article 5 V, Section 14-72 (3); and
 - b. The encroachment standards of Article 5 V, Section 14-76(1).

Sec. 14-77. - Standards for areas of shallow flooding (Zone AO).

Located within the Special Flood Hazard Areas established in Article 3 III Sections 14-7, are areas designated as shallow flooding areas. These areas have special flood hazards associated with base flood depths of one (1) to three (3) feet where a clearly defined channel does not exist and where the path of flooding is unpredictable and indeterminate. In addition to Article 5-V, Sections 14-72 and 14-73, all new construction and substantial improvements shall meet the following requirements:

- (1) The reference level shall be elevated at least as high as the depth number specified on the Flood Insurance Rate Map (FIRM), in feet, plus a freeboard of two feet, above the highest adjacent grade; or at least two feet above the highest adjacent grade if no depth number is specified.
- (2) Non-residential structures may, in lieu of elevation, be floodproofed to the same level as required in Article 5 V, Section 14-77 so that the structure, together with attendant utility and sanitary facilities, below that level shall be watertight with walls substantially impermeable to the passage of water and with structural components having the capability of resisting hydrostatic and hydrodynamic loads and effects of buoyancy. Certification is required in accordance with Article 4-IV, Section 14-46(3) and Section 14-73(2).
- (3) Adequate drainage paths shall be provided around structures on slopes, to guide floodwaters around and away from

proposed structures.

Sec. 14-78. - Standards for areas of shallow flooding (Zone AH).

Located within the Special Flood Hazard Areas established in Article 3 III, Section 14-7, are areas designated as shallow flooding areas. These areas are subject to inundation by 1-percent-annual-chance shallow flooding (usually areas of ponding) where average depths are one (1) to three (3) feet. Base Flood Elevations are derived from detailed hydraulic analyses are shown in this zone. In addition to Article 5-V, Sections 14-72 and 14-73, all new construction and substantial improvements shall meet the following requirements:

(1) Adequate drainage paths shall be provided around structures on slopes, to guide floodwaters around and away from proposed structures.

Secs. 14-79—14-85. - Reserved.

Article 6 VI. - LEGAL STATUS PROVISIONS.

Sec. 14-86. - Effects on rights and liabilities under the existing flood damage.

This ordinance in part comes forward by re-enactment of some of the provisions of the Flood Damage Prevention Ordinance enacted November 8, 2010 as amended, and it is not the intention to repeal but rather to re-enact and continue to enforce without interruption of such existing provisions, so that all rights and liabilities that have accrued thereunder are reserved and may be enforced. The enactment of this ordinance shall not affect any action, suit or proceeding instituted or pending. All provisions of the Flood Damage Prevention Ordinance of the Town of Archer Lodge enacted on November 8, 2010, as amended, which are not reenacted herein are repealed.

The date of the initial Flood Damage Prevention Ordinance for Archer Lodge is November 8, 2010.

Sec. 14-87. - Effect upon outstanding floodplain development permits.

Nothing herein contained shall require any change in the plans, construction, size, or designated use of any development or any part thereof for which a floodplain development permit has been granted by the Floodplain Administrator or his or her authorized agents before the time of passage of this ordinance; provided, however, that when construction is not begun under such outstanding permit within a period of six (6) months subsequent to the date of issuance of the outstanding permit, construction or use shall be in conformity with the provisions of this ordinance.

Sec. 14-88. - Severability.

If any section, clause, sentence, or phrase of the Ordinance is held to be invalid or unconstitutional by any court of competent jurisdiction, then said holding shall in no way effect the validity of the remaining portions of this Ordinance.

Sec. 14-89. - Effective date.

This ordinance chapter shall become effective June 4, 2018. February 1, 2021.

Sec. 14-90. - Adoption certificate.

I hereby certify that this is a true and correct copy of the Flood Damage Prevention Ordinance as adopted by the town council
of the town of Archer Lodge, North Carolina, on the 4 th day of June 2018. 1 st day of February, 2021
WITNESS my hand and the official seal of Kim P. Batten, Finance Manager, Town Clerk, this the 4 th day of June 2018. 1 st day of February 2021

Office of County Commissioners (919) 989-5100 FAX (919) 989-5179

Paula G. Woodard, Clerk

Johnston County
POST OFFICE BOX 1049
SMITHFIELD, N.C. 27577

Chad M. Stewart, Chairman Larry Wood, Vice Chairman Tony Braswell Ted G. Godwin Patrick E. Harris R.S. "Butch" Lawter, Jr. Fred J. Smith, Jr.

December 29, 2020

Ms. Kim P. Batten
Finance Officer/Town Clerk
Town of Archer Lodge
kim.batten@archerlodgenc.gov
14094 Buffalo Road
Archer Lodge, NC 27527

Dear Ms. Batten:

As you may know, Johnston County has an Economic Development Advisory Board that consists of 14 members (one position for each of the eleven municipalities and three at-large positions) that are appointed by the Johnston County Board of Commissioners. Presently, the position representing the Archer Lodge area is up for consideration. This position is currently held by Mr. Clyde Castleberry who has reapplied for another term. No additional applications were received for this position.

The Johnston County Board of Commissioners feels that it is important the municipalities have input with regards to the selection of a representative on the Economic Development Advisory Board, for their respective areas. To that end, the Johnston County Board of Commissioners would appreciate the Town Council, at their next scheduled meeting, discussing the position and making a recommendation on the applicant enclosed.

Thank you for your assistance in this matter and please do not hesitate to contact me if you have any questions.

Sincerely,

Taule G Woolard
Paula G. Woodard
Clerk to the Board

Attachment

NOTIFICATION OF INTEREST TO SERVE ON AN APPOINTED BOARD (APPLICATION) BOARD: Economic Development Advisory PHYSICAL ADDRESS: Same City and Zip Code TELEPHONE: 919-359-0697 (HOME) 336-542-6516 (WORK) E-MAIL ADDRESS: Ccastleberry @ hilcotransport, com PRESENT OCCUPATION: <u>Fetroleum Manager</u> YEARS OF FORMAL EDUCATION: 12/2 CIVIC AND FRATERNAL ORGANIZATIONS IN WHICH YOU HAVE PARTICIPATED. ALVFD, White Cak Baptist Church, AL Commonity Center, tormer Jaycee, Clayton and AL. ALVED' BOD, AL Charter Member Incorporation Committe. Town of AL Town Council 2009-2016, Mayor Pro Tem 2016 - Present, BOD of Retroleway Marketers Association PN.C. 2016- Present, Refired ALVFD. PLEASE TELL WHY YOU WOULD LIKE TO SERVE ON THE ABOVE BOARD: have been on this board for several years. We as with the leadership of Chris Johnson has made works together DATE: 10-4-2020 SIGNATURE: FOR OFFICE USE ONLY:

DATE RECEIVED:

DATE FORWARDED TO COUNTY COMMISSIONERS:

SUBCHAPTER III. BUDGETS AND FISCAL CONTROL.

Article 3.

The Local Government Budget and Fiscal Control Act.

Part 1. Budgets.

§ 159-7. Short title; definitions; local acts superseded.

- (a) This Article may be cited as "The Local Government Budget and Fiscal Control Act."
- (b) The words and phrases defined in this section have the meanings indicated when used in this Article, unless the context clearly requires another meaning.
 - (1) "Budget" is a proposed plan for raising and spending money for specified programs, functions, activities or objectives during a fiscal year.
 - (2) "Budget ordinance" is the ordinance that levies taxes and appropriates revenues for specified purposes, functions, activities, or objectives during a fiscal year.
 - (3) "Budget year" is the fiscal year for which a budget is proposed or a budget ordinance is adopted.
 - (4) "Debt service" is the sum of money required to pay installments of principal and interest on bonds, notes, and other evidences of debt accruing within a fiscal year, to maintain sinking funds, and to pay installments on debt instruments issued pursuant to Chapter 159G of the General Statutes or Chapter 159I of the General Statutes accruing within a fiscal year.
 - (5), (6) Repealed by Session Laws 1975, c. 514, s. 2.
 - (7) "Fiscal year" is the annual period for the compilation of fiscal operations, as prescribed in G.S. 159-8(b).
 - (8) "Fund" is a fiscal and accounting entity with a self-balancing set of accounts recording cash and other resources, together with all related liabilities and residual equities or balances, and changes therein, for the purpose of carrying on specific activities or attaining certain objectives in accordance with special regulations, restrictions, or limitations.
 - (9) Repealed by Session Laws 1975, c. 514, s. 2.
 - (10) "Public authority" is a municipal corporation (other than a unit of local government) that is not subject to the State Budget Act (Chapter 143C of the General Statutes) or a local governmental authority, board, commission, council, or agency that (i) is not a municipal corporation, (ii) is not subject to the State Budget Act, and (iii) operates on an area, regional, or multi-unit basis, and the budgeting and accounting systems of which are not fully a part of the budgeting and accounting systems of a unit of local government.
 - (11) Repealed by Session Laws 1975, c. 514, s. 2.
 - (12) "Sinking fund" means a fund held for the retirement of term bonds.
 - (13) "Special district" is a unit of local government (other than a county, city, town, or incorporated village) that is created for the performance of limited governmental functions or for the operation of a particular utility or public service enterprises.
 - (14) "Taxes" do not include special assessments.

- (15) "Unit," "unit of local government," or "local government" is a municipal corporation that is not subject to the State Budget Act (Chapter 143C of the General Statutes) and that has the power to levy taxes, including a consolidated city-county, as defined by G.S. 160B-2(1), and all boards, agencies, commissions, authorities, and institutions thereof that are not municipal corporations.
- "Vending facilities" has the same meaning as it does in G.S. 111-42(d), but also means any mechanical or electronic device dispensing items or something of value or entertainment or services for a fee, regardless of the method of activation, and regardless of the means of payment, whether by coin, currency, tokens, or other means.
- (c) It is the intent of the General Assembly by enactment of this Article to prescribe for local governments and public authorities a uniform system of budget adoption and administration and fiscal control. To this end and except as otherwise provided in this Article, all provisions of general laws, city charters, and local acts in effect as of July 1, 1973 and in conflict with the provisions of Part 1 or Part 3 of this Article are repealed. No general law, city charter, or local act enacted or taking effect after July 1, 1973, may be construed to modify, amend, or repeal any portion of Part 1 or Part 3 of this Article unless it expressly so provides by specific reference to the appropriate section.
- (d) Except as expressly provided herein, this Article does not apply to school administrative units. The adoption and administration of budgets for the public school system and the management of the fiscal affairs of school administrative units are governed by the School Budget and Fiscal Control Act, Chapter 115, Article 9. However, this Article and the School Budget and Fiscal Control Act shall be construed together to the end that the administration of the fiscal affairs of counties and school administrative units may be most effectively and efficiently administered. (1927, c. 146, ss. 1, 2; 1955, c. 724; 1971, c. 780, s. 1; 1973, c. 474, ss. 3, 4; 1975, c. 437, s. 12; c. 514, s. 2; 1981, c. 685, s. 1; 1983 (Reg. Sess., 1984), c. 1034, s. 173; 1987, c. 282, ss. 30, 31; c. 796, s. 3(1); 1989, c. 756, s. 3; 1995, c. 461, s. 9; 2006-203, s. 125.)

§ 159-8. Annual balanced budget ordinance.

Each local government and public authority shall operate under an annual balanced budget ordinance adopted and administered in accordance with this Article. A budget ordinance is balanced when the sum of estimated net revenues and appropriated fund balances is equal to appropriations. Appropriated fund balance in any fund shall not exceed the sum of cash and investments minus the sum of liabilities, encumbrances, and deferred revenues arising from cash receipts, as those figures stand at the close of the fiscal year next preceding the budget year. It is the intent of this Article that, except for moneys expended pursuant to a project ordinance or accounted for in an intragovernmental service fund or a trust and agency fund excluded from the budget ordinance under G.S. 159-13(a), all moneys received and expended by a local government or public authority should be included in the budget ordinance. Therefore, notwithstanding any other provision of law, no local government or public authority may expend any moneys, regardless of their source (including moneys derived from bond proceeds, federal, state, or private grants or loans, or special assessments), except in accordance with a budget ordinance or project ordinance adopted under this Article or through an intragovernmental service fund or trust and agency fund properly excluded from the budget ordinance.

(b) The budget ordinance of a unit of local government shall cover a fiscal year beginning July 1 and ending June 30. The budget ordinance of a public authority shall cover a fiscal year beginning July 1 and ending June 30, except that the Local Government Commission, if it determines that a different fiscal year would facilitate the authority's financial operations, may enter an order permitting an authority to operate under a fiscal year other than from July 1 to June 30. If the Commission does permit an authority to operate under an altered fiscal year, the Commission's order shall also modify the budget calendar set forth in G.S. 159-10 through 159-13 so as to provide a new budget calendar for the altered fiscal year that will clearly enable the authority to comply with the intent of this Part. (1971, c. 780, s. 1; 1973, c. 474, s. 5; 1975, c. 514, s. 3; 1979, c. 402, s. 1; 1981, c. 685, s. 2.)

§ 159-9. Budget officer.

Each local government and public authority shall appoint a budget officer to serve at the will of the governing board. In counties or cities having the manager form of government, the county or city manager shall be the budget officer. Counties not having the manager form of government may impose the duties of budget officer upon the county finance officer or any other county officer or employee except the sheriff, or in counties having a population of more than 7,500, the register of deeds. Cities not having the manager form of government may impose the duties of budget officer on any city officer or employee, including the mayor if he agrees to undertake them. A public authority or special district may impose the duties of budget officer on the chairman or any member of its governing board or any other officer or employee. (1971, c. 780, s. 1; 1973, c. 474, s. 6.)

§ 159-10. Budget requests.

Before April 30 of each fiscal year (or an earlier date fixed by the budget officer), each department head shall transmit to the budget officer the budget requests and revenue estimates for his department for the budget year. The budget request shall be an estimate of the financial requirements of the department for the budget year, and shall be made in such form and detail, with such supporting information and justifications, as the budget officer may prescribe. The revenue estimate shall be an estimate of all revenues to be realized by department operations during the budget year. At the same time, the finance officer or department heads shall transmit to the budget officer a complete statement of the amount expended for each category of expenditure in the budget ordinance of the immediately preceding fiscal year, a complete statement of the amount estimated to be expended for each category of expenditure in the current year's budget ordinance by the end of the current fiscal year, the amount realized from each source of revenue during the immediately preceding fiscal year, and the amount estimated to be realized from each source of revenue by the end of the current fiscal year, and such other information and data on the fiscal operations of the local government or public authority as the budget officer may request. (1927, c. 146, s. 5; 1955, cc. 698, 724; 1971, c. 780, s. 1.)

§ 159-11. Preparation and submission of budget and budget message.

(a) Upon receipt of the budget requests and revenue estimates and the financial information supplied by the finance officer and department heads, the budget officer shall prepare a budget for consideration by the governing board in such form and detail as may have been prescribed by the budget officer or the governing board. The budget shall comply in all respects with the limitations imposed by G.S. 159-13(b), and unless the governing board shall

TOWN ADMINISTRATOR

General Statement of Duties

Performs difficult management, professional, and administrative duties as the Chief Executive Officer (CEO) for the Town.

Distinguishing Features of the Class

An employee in this class plans, organizes, manages, directs, and implements the goals and objectives of the Town Council. Duties include short and long range planning, creating and articulating a vision of excellence for the organization, establishing human resource management systems that staff the organization with productive employees, budgetary direction and guidance to Council and staff, leading long range and capital improvement program planning, overseeing financial management, overseeing operations of the Town, and working closely with the Council on major initiatives and priorities. The employee serves as official Budget Officer for the organization. The employee must utilize independent judgment and initiative in decision making, team building, problem-solving, management systems and providing guidance and recommendations to the Council. Work is performed in accordance with established municipal finance procedures, local ordinances, and the North Carolina Statutes. Work is performed under the general direction of the Mayor and Council members and is evaluated through conferences, reports, records, the effectiveness of legal compliance with applicable statutes, and by public satisfaction with services provided.

Duties and Responsibilities

Essential Duties and Tasks

Works with the Mayor and Council to develop consensus on a clear vision of the future of the community and the organization; coordinates and works with the Mayor and Council on planning and policy development to put this vision into effect for Town services; develops agendas for Council meetings; and ensures resources and supporting documentation for informed actions are present; keeps Mayor and Council informed on all issues that affect them and have significant impact on the Town.

Manages and supervises the Town government staff; works with them to establish long and short range goals and ensure effectiveness and efficiency of services provided; communicates organizational mission, vision and goals as established by elected officials and Administrator and helps staff enhance these goals and implement programs consistent with them; builds a strong team among staff with energy and a cohesive vision.

Serves as budget developer for the Town; balances budget, seeks innovative methods of stewardship and new revenue sources; makes professional and realistic recommendations for expenditures of Town's funds; manages Town resources including budget, facilities, equipment, technology, etc.; oversees and/or performs grant development and administration.

Maintains accountability for the hiring, training, performance management, retention, and separation of all Town employees; supervises the establishment of a modern human resource management program for the Town; staffs the organization with qualified and highly productive employees; directs and monitors systems of employee communication, motivation, reward, compensation, training and development, performance coaching and evaluation to insure high levels of retention and performance excellence.

Provides and manages the provision of professional and technical advice to Council on policy, planning, and legal matters; researches and makes recommendations to Council on new programs, services, and initiatives; coordinates economic and business development policies and strategies.

Coordinates and works with staff in ensuring policies, laws, and ordinances are workable, enforced, and fairly and consistently implemented.

Town Administrator Page 2

Oversees the operational management of public works and utilities for the Town; ensures effective land use planning and development for the Town to maximize natural resources; oversees the development and implementation of recreational and other leisure services, arts and quality of life facilities and programming; oversees programs and services to ensure the public safety of the community.

Meets with and speaks with community groups, citizens, and other public agencies about specific programs, services, policies, and other issues as needed; responds in a timely fashion to citizen concerns and requests; establishes and maintains effective communications with media to keep citizens informed about the Town's programs and progress.

Cooperates with other governmental units as necessary to provide professional and effective services to the citizens (State, transportation, county, neighboring cities, etc.); crafts and reviews inter-local agreements for various services.

Researches and recommends policies; implements administrative procedures as necessary to provide for consistency and guidance of staff and service management.

Demonstrates leadership and sound decision making skills in emergency and controversial situations; leads in finding collaborative resolutions to conflicts.

Submits periodic progress reports, annual status of goals achieved, financial statements and other reports to the Town Council.

Maintains current knowledge of management and municipal trends, laws and issues; maintains modern public administration knowledges and skills.

Represents the Town positively with a wide variety of people, business, governments and organizations.

Additional Job Duties

Performs related duties as required.

Recruitment and Selection Guidelines

Knowledges, Skills, and Abilities

Considerable knowledge of North Carolina General Statutes and of local ordinances governing the responsibilities of the Town Administrator, Town Council, and other public officials.

Considerable knowledge of methods and techniques for developing local policies and ordinances regarding all governmental operations.

Considerable knowledge of the principles and practices of public budgeting finance administration, including principles and practices of municipal accounting.

Considerable knowledge of the modern principles and practices of leadership, employee motivation, communication, performance coaching and review, hiring, discipline, and conflict resolution.

Knowledge of laws, regulations, policies, and current practices in a variety of phases of municipal administration including budget, personnel, purchasing, public works, utilities, planning and other functional areas.

Knowledge of the application of information technology to improving the efficiency, effectiveness, and customer service functions of municipal services.

Skill in meeting facilitation, public speaking, team building and collaborative conflict resolution.

Ability to conceive and articulate a vision of organizational excellence that inspires staff and community to high levels of achievement.

Ability to help build consensus among staff and elected officials and make decisions consistent with organizational goals and values.

Ability to plan, project, and determine priorities for service delivery to citizens.

Town Administrator Page 3

Ability to exercise sound judgment in making decisions in conformance with laws, regulations, and policies.

Ability to coordinate and direct a wide variety and array of Town services.

Ability to develop and maintain effective working relationships with the other governmental jurisdictions, the Town Council, elected and appointed officials, community groups, employees, and the general public.

Ability to communicate effectively in oral and written form.

Physical Requirements

Must be able to physically perform the basic life operational functions of standing, walking, fingering, feeling, talking, seeing, and hearing.

Must be able to perform sedentary work exerting up to 10 pounds of force occasionally and/or a negligible amount of force frequently or constantly to lift objects.

Must possess the visual acuity to prepare and analyze data and figures, operate a computer, do extensive reading, and perform visual inspections.

Desirable Education and Experience

Graduation from a four year college or university with a major in public administration, business management, civil engineering or related field and municipal management experience; graduate degree in public administration or related field preferred; or an equivalent combination of education and experience.

Special Requirement

Possession of a valid North Carolina driver's license.

Possession of ICMA certification a plus.

Archer Lodge 2018

RESOLUTION# AL2018-05-07b

ARTICLE VI. EMPLOYEE BENEFITS

Section 1. Eligibility

All full and part-time employees of the Town are eligible for employee benefits as provided for in this Article which are subject to change at the Town's discretion and annual budget appropriations. Limited Service employees are eligible only for legally mandated benefits such as workers' compensation and FICA..

Section 2. Employee Group Health

The Town provides group health insurance programs for full and part-time employees and their families as specified under the terms of the group insurance contract.

The Town pays the entire cost of health insurance for full-time employees. The Town will comply with the Affordable Care Act by providing health insurance for all employees expected to work 30 or more hours per week for three or more months. Employees budgeted to work 20 or more hours per week but fewer than 30 hours per week are eligible for health insurance but must pay a pro-rated amount based on the average number of hours per week they are budgeted to work.

Information concerning cost and benefits shall be available to all employees from the Human Resources Office.

Section 3. Other Optional Insurance Plans

§ 135-48.47. (See editor's note) Participation in State Health Plan by local government employees and dependents.

(a) Eligibility. – The employees and dependents of employees of local government units are eligible to participate in the State Health Plan, as provided in this section. This section does not apply to employees of a charter school operated by a municipality.

Employees and dependents participating under this section are not guaranteed participation in the Plan, and participation is contingent on their respective local government units (i) electing to participate in the Plan and (ii) complying with the provisions of this section and this Article, as well as any policies adopted by the Plan.

- (b) Participation Requirements. A local government unit may elect to participate in the State Health Plan. Participation shall be governed by the following:
 - (1) In order to participate, a local government unit must do the following:
 - a. Pass a valid resolution expressing the local government's desire to participate in the Plan.
 - b. Enter into a memorandum of understanding with the Plan that acknowledges the conditions of this section and this Article.
 - c. Provide at least 90 days' notice to the Plan prior to entry and complete the requirements of this subdivision at least 60 days prior to entry.
 - (2) In order to participate, a local government unit and its employees must meet the federal requirements to participate in a governmental plan. The Plan may refuse participation to persons who would jeopardize the Plan's qualification as a governmental plan under federal law.
 - (2a) The Plan shall admit any local government unit that meets the administrative and legal requirements of this section, regardless of the claims experience of the local government unit group or the financial impact on the Plan.
 - (3) A local government unit shall determine the eligibility of its employees and employees' dependents.
 - (3a) The premiums employees pay to the local government unit for their own coverage shall conform to the premiums in the structure set by the Plan. The premiums employees pay to the local government unit for coverage of their dependents may be determined by the local government unit but may not exceed the premiums set by the Plan.
 - (4) Premiums for coverage and Plan options shall be the same as those offered to State employees and dependents on a fully contributory basis.
 - (5) The local government unit shall pay all premiums for all covered individuals directly to the Plan or the Plan's designee.
- (c) Enrollment Limitation. Local governments may elect to participate until the number of employees and dependents of employees of local governments enrolled in the Plan reaches 16,000, after which time no additional local governments may join the Plan. Any local government electing to participate must have less than 1,000 employees and dependents enrolled in health coverage at the time the local government provides notice to the Plan of its desire to participate.
- (d) Local governments participating in the Plan as of April 1, 2016, may elect to withdraw from participating in the Plan effective January 1, 2017. Notice of withdrawal must be given by the local government to the Plan no later than September 15, 2016. (2014-75, s. 3; 2014-105, s. 1; 2015-112, s. 2; 2016-104, ss. 4, 5(a), 6; 2018-145, s. 20(d).)